

tableBASE

Batch Utilities Guide

Release 7.0.0



Copyright © 2018 DataKinetics Ltd.

Document Number: TBM004-R700v1.0

Publication Date: tableBASE Release 7.0.0 Version 1.0 - August 2018

This guide is copyrighted and all rights are reserved. This document may not, in whole or in part, be copied, photocopied, reproduced, translated or reduced to any electronic medium or machine-readable form without the prior written consent of DataKinetics Ltd.

Information in this guide is subject to change without notice and does not represent a commitment on the part of the vendor. The software described in this guide is furnished under a license agreement and may be used or copied only in accordance with the terms of the agreement.

tableBASE, tablesONLINE, VTS Manager and VTS Gate are registered trademarks of DataKinetics Ltd. The names of other products or companies may be trademarks or registered trademarks of their respective companies.

DataKinetics Technical Support: 1-613-523-5588

Email: tableBASE@dkl.com

DataKinetics Ltd.
240 - 50 Hines Road
Ottawa, ON
Canada K2K 2M5
<http://www.dkl.com>

Telephone: (613) 523-5500

1-800-267-0730 (toll free in the US and Canada)

Facsimile: (613) 523-5533

Table of Contents

Preface	7
Audience for this Guide	7
What is covered in this Guide.....	7
What is new in Version 7.....	7
Naming protocol	7
What you should know to use this guide	8
Glossary	8
Conventions used in this Guide	11
What this Guide Contains	12
Additional tableBASE references	13
VTS Manager References	13
Customer Support	14
Training and Professional Services.....	14
About DataKinetics.....	14
1—Introduction	15
The Batch Utility Programs	15
2—TBEXEC (DK1TEXEC) commands	17
Command summary	18
Interpreting command parameters	20
Parameter descriptions	21
CHANGE command	26
Option 1: change the definition of a table.....	26
Option 2: change an Alternate Index definition.....	27
CHANGE command use.....	27
CLEAR command.....	28
CLEAR	28
CLEAR command use	28
COPY command	28
Option 1: copy a table generation	28
Option 2: copy a table (all generations).....	29

Option 3: copy a library	30
COPY command use	31
DEFINE command	32
Option 1: initialize a new tableBASE library	32
Option 2: define a new table	33
Option 3: create an Alternate Index definition	33
DEFINE command use	34
DELETE command	34
Option 1: delete a single table generation	34
Option 2: delete all generations of a table	35
DELETE command use	35
EXPAND library command	36
EXPAND command use	37
EXPORT command	37
Option 1: export an entire library	37
Option 2: export a specific table	38
EXPORT command use	38
IMPORT command	39
IMPORT command use	39
LOAD command	39
LOAD command use	40
PRINT command	40
Option 1: list directory	40
Option 2: print table information	41
Option 3: print table contents	42
PRINT command use	43
RENAME command	44
RENAME command use	44
SET command	44
SET command use	45
UNLOAD command	45
UNLOAD command use	46
UPDATE command	46
UPDATE command use	47

3—Using TBEXEC (DK1TEEXEC) 49

JCL to run TBEXEC	49
Create a new tableBASE library	50
EXPORT and IMPORT a tableBASE library	51
UNLOAD a table	52
LOAD a table	52
Error diagnosis	53
Command interpretation errors	53

Command processing errors	53
TBLBASE processing errors	53
Report descriptions	55
TBMSG report	55
TBRPT report	56
Error and audit messages described.....	59
4—Table printing utility: TBPRINT (DK1TPTBL)	61
Completion codes	62
Keyword parameters	62
Keywords with assigned values	62
Keywords without assigned values.....	66
Formatted print examples	67
Print table using defaults.....	68
Print with row identification	69
Print with row truncation	70
Print with rows continuing on next page	71
JCL.....	72
5—View printing utility: TBDEFPR (DK1TVWPR)	73
Input	73
Output	73
General syntax rules for input.....	73
Keyword parameters	74
FROMDDN	74
FROMDSN	74
SEQ.....	74
SELECT	75
EXCLUDE.....	75
PASSWORD.....	75
JCL.....	76
6—Generating data definitions: TBCOBF and DK1TCSTR	77
Generating COBOL copybooks.....	77
Coding conventions	77
Using TBCOBF	78
Generating C/C++ structures	79
Using DK1TCSTR.....	79
7—Table comparison utility: TBCOMP (DK1TCOMP)	81

Comparing tables with TBCOMP.....	81
Using difference files with TBEXEC	86
8—Library conversion utilities	87
Appendix A - Messages	89
Messages.....	89
TBEXEC error messages	90
tableBASE messages	95
TBEXEC and library conversion messages.....	105
Appendix B - TBOPT dataset coding	107
TBOPT dataset coding.....	107

Preface

This guide describes tableBASE batch utility programs that are used to define and maintain tables and libraries, report on their contents, and generate COBOL copybooks or C structures from table definitions.

Audience for this Guide

This guide is intended for:

- analysts who define tables
- programmers who maintain and test tables and generate COBOL copybooks or C structures
- systems personnel responsible for maintaining tables and transferring them from test to production

What is covered in this Guide

This guide identifies and describes each of the batch utilities that come with tableBASE.

What is new in Version 7

Version 7 introduces the user comments field in the DEFINE and CHANGE commands for a table in TBEXEC. When the contents of a library are printed, these user comments can also be displayed.

Naming protocol

The naming protocol introduced with Version 6 remains.

All tableBASE executables begin with DK1 for easy identification, a prefix that has been reserved with IBM for exclusive use by DataKinetics.

Aliases are retained so that no changes are required to your existing applications.

What you should know to use this guide

Familiarity with tableBASE concepts and facilities, the tableBASE application interface, tableBASE programming commands, and the batch environment aid in the understanding of this document.

Glossary

The following terms may be used throughout this guide. Descriptions are provided to make them more familiar.

Alias name	An alternate name for a VTS-TSR that can be created, assigned, and used in lieu of the name assigned at VTS-TSR definition. This is a VTS Manager feature. See below for VTS Manager and VTS-TSR definition.
Alternate Index	An Alternate Index is an Index that may be defined for a Data Table. The Alternate Index has an Alternate Index definition (ALT-DEFINITION) that defines the key, organization, and search order. Alternate Indexes are optional, and there is no limit to the number of Alternate Indexes a Data Table may have.
Alternate Index View	A tablesONLINE Alternate Index View is identical to a View but applies to a Data Table when access is through an Alternate Index.
Catalog	A catalog contains definitions of managed items in the next tier down in the hierarchy. Definition information about the VTS Group Manager is contained in the VTS Manager catalog, and VTS-TSR definition information is contained in the VTS Group Manager catalog. The catalog is contained within the LDS associated with the VTS Manager or VTS Group Manager.
Cataloged VTS	A VTS-TSR that is managed by a user-defined VTS Group Manager under VTS Manager, as opposed to the <i>compat</i> VTS Group Manager.
<i>compat</i> VTS Group Manager	The <i>compat</i> VTS Group Manager is the default VTS Group Manager that runs under VTS Manager. See below for definition of VTS Group Manager.
Data Table	A Data Table is the actual raw data. Each Data Table has a table definition (DT-BLOCK) that is used to generate the Index for the Data Table.

DB2 SPAS,	DB2 Stored Procedure Address Space managed by WLM.
WLM-managed DB2 SPAS	
Delivered defaults	The defaults that are delivered with the product. Also known as <i>factory defaults</i> .
Index	An Index is defined for each Data Table. A Data Table Index is generated dynamically when a table is opened or defined based on the information in the table definition (DT-BLOCK).
Installation defaults	The defaults set at installation time by an administrator, which may or may not be the same as the delivered defaults. Defined using the TBOPTGEN file. (These defaults may be overridden by an individual application using the TBOPT file.)
LDS	Linear DataSet used for VTS Manager.
Linked Table	A linked table (also known as a remote table) is created when a user issues a command to open a table that is already open in a VTS-TSR specified in the LIB-LIST. The table entry in the local TSR is linked to the existing open table in the VTS-TSR. No updates are allowed to a linked table.
Multitasking Batch	An MVS region that implements multitasking by attaching multiple Task Control Blocks (TCBs). This can include a batch job that attaches several subtasks or a transaction processing region like DB2 stored procedures that implements multitasking through multiple TCBs.
SAF interface	System Authorization Facility interface that controls resource access. Tools like ACF2, RACF and Top Secret fall into this category.
Table Expansion	Dynamic allocation of space for tables in the TSR when the current space allocated becomes insufficient.
Temporary Table	A temporary table exists only within a TSR, and is created by the DT command (or IA). It is never stored in a library. A temporary table can be distinguished from a library table using the GD command output—if found, a temporary table will show no dataset name.
TPM	An internal DataKinetics development term which refers to the VTS Manager top tier component. It will sometimes be found in diagrams which explain the architecture and internal processes of VTS Manager. Also occasionally refers to the VTS Manager itself.

TPVM	An internal DataKinetics development term which refers to the VTS Group Manager component of the VTS Manager product. It will sometimes be found in diagrams which explain the architecture and internal processes of VTS Manager.
TSR, Local TSR	Table Space Region. A data space of up to 2G is used by tableBASE to house tables. The data space is owned by an application in the associated address space. The application uses tableBASE to access data within the tables.
TSR of record	If there is no VTS name in the TB-SUBSYSTEM field of the TB-PARM when a command is being executed, the TSR of record is the local TSR, otherwise it is the VTS-TSR that has its name in the TB-PARM.
View	A tablesONLINE View provides the field, edit and display attributes for a Data Table with its Index. Previous to Version 5, the View was referred to as a Field Definition Table (FDT).
VTS, DataKinetics VTS	Virtual Table Share. The term “VTS” refers to the DataKinetics VTS product, which permits TSRs to be shared among applications. These shared TSRs are called VTS-TSRs.
VTS-TSR, Shared TSR	A Virtual Table Share (VTS) Table Space Region (TSR) is a shared TSR, and resides in a shared data space. Applications can access tables within a VTS-TSR, and use the information as if it were within their local TSRs.
VTS Agent	The DK1VAGNT program, which initializes VTS-TSRs in tableBASE, and then sits idle until the VTS-TSR is to be terminated. If VTS Manager is installed, VTS-TSRs are managed by VTS Group Managers, and the VTS Agent is not required, but is still available for transition purposes.
VTS Gate	The product that provides enhanced security for the shared VTS-TSR capability.
VTS Group Manager	The middle tier of VTS Manager which manages VTS-TSRs.
VTS Manager	A DataKinetics Ltd. product that extends the functionality of the VTS shared TSR capabilities.
VTS switch	The action of switching an alias name from one VTS-TSR to another. This is a feature of VTS Manager.

In previous releases, tableBASE allowed two table types: True and Pointer. True tables were characterized as not having an Index and by being stored in contiguous memory. In Version 6, the concept of True tables still exists, however they are treated as Pointer tables, as all memory is segmented memory that requires indexes.

Conventions used in this Guide

Convention	Description
code examples and commands	Code examples and commands appear in this type of font: this is an example of the font.
MAXNMTAB	Names of parameters appear in upper case simply for ease of reading; actual case used is upper or lower or a mixture.
Version	Following IBM standards, the term <i>version</i> refers to a generation of a software product that has significant new code or new functionality. <i>Version</i> is a more general term than <i>release</i> . For example, <i>Version 6</i> includes <i>Release 6.1</i> and <i>Release 6.2</i> , and is equivalent to <i>Release 6.x</i> .
Release	Following IBM standards, the term <i>release</i> refers to a program or set of programs which represent a specific revision to the base version of a software product. For example, <i>Release 6.0</i> is a term that is used to identify the first release of <i>Version 6</i> . Subsequent releases made available under the Version 6 umbrella, such as <i>Release 6.1</i> , will provide additional revisions to the base product.
Modification Level	Following IBM standards, the term <i>modification level</i> refers to the application of specific program enhancements and error corrections to the release of a software product. For example, <i>Release 6.0.3</i> is at <i>modification level 3</i> , and <i>Release 6.1.0</i> is at <i>modification level 0</i> .
MVS	MVS is a generic term which is used when referring to z/OS and other related IBM operating systems.

What this Guide Contains

Chapter 1 gives an overview of the tableBASE batch utility programs.

Chapter 2 discusses TBEXEC (DK1TEXEC), the main batch utility for tableBASE. The maintenance functions provided by TBEXEC are identified and described, JCL examples and report samples are shown, and a list of associated error messages is provided.

Chapter 3 describes the use of TBEXEC. It includes the Job Control Language (JCL) required to run TBEXEC, followed by descriptions of how TBEXEC handles errors. Standard reports produced are described, as are error and audit messages issued by TBEXEC.

Chapter 4 describes TBPRINT (DK1TPTBL), the utility that prints formatted columnar listings using information from Views.

Chapter 5 describes the utility TBDEFPR (DK1TVWPR) that prints Views of tableBASE tables.

Chapter 6 describes the utilities TBCOBF (DK1TCOBF) and its companion DK1TCSTR that create API interfaces for tables.

Chapter 7 describes the table compare utility TBCOMP (DK1TCOMP).

Chapter 8 points to the library conversion utility DK1TCNV and its companion library version identification utility DK1TLCHK.

Appendix A contains DataKinetics tableBASE error codes and messages that can be encountered when using tableBASE and the utility programs described in this Guide.

Appendix B contains additional information about the use of the TBOPT dataset.

Additional tableBASE references

This guide is one of a series that describes tableBASE and tablesONLINE:

- *tableBASE Release Notes*
- *tableBASE Installation Guide*
- *tableBASE Concepts and Facilities Guide*
- *tableBASE Administration Guide*
- *tableBASE Programming Guide*
- *tableBASE Quick Reference Guide*
- *tablesONLINE/CICS User's Guide*
- *tablesONLINE/ISPF User's Guide*
- *tableBASE Library Bridge Manual, Release 5.B*

VTS Manager References

The following manuals describe the VTS Manager product:

- *VTS Manager Concepts and Facilities Guide*
- *VTS Manager Administration Guide*

Customer Support

Customers with maintenance agreements can obtain 24-hour hotline support through a direct line to our Technical Support staff (+1-613-523-5588).

The DataKinetics customer support Service Level Agreement lists the guaranteed response times for each problem severity level. High priority critical and serious problems receive immediate attention from our Technical Support staff.

Before calling the DataKinetics Technical Support staff, be sure to consult the "Support" section of our web site (www.dkl.com) for all the latest information on our technical support protocol. Look in "Support" for our "FAQs", which provide answers to frequently asked questions posed by our users.

The "Customer Login" link supplied on our web site navigates to a special support section which is available to customers who have maintenance agreements with DataKinetics Ltd. A username and password are needed to access this section of the web site—consult your tableBASE administrator, or DataKinetics customer support, for this information.

Training and Professional Services

DataKinetics Ltd. is proud to be able to offer our customers the very best in training and technical consulting services. See the "Services" section of our web site for all the latest information regarding our offerings in this area.

About DataKinetics

DataKinetics®, the leader in enterprise IT optimization, enables the top data centers in the world to overcome today's mainframe throughput, performance, capacity and interconnectivity challenges. In business for over 40 years, DataKinetics products are powering nearly a billion mission-critical transactions per second every day for the world's largest banking, insurance, credit card, brokerage house and retail organizations.

1

Introduction

The Batch Utility Programs

The utility programs supplied with tableBASE simplify the maintenance of the tableBASE environment.

1. TBEXEC (DK1TEEXEC) is the primary tableBASE batch utility. It provides basic housekeeping facilities such as initializing new table libraries, defining tables, deleting tables, making mass updates to tables, and copying tables among libraries. TBEXEC also provides a print facility designed for the printing of tables used in testing.
2. TBPRINT (DK1TPTBL) produces columnar listings of Data Tables, based on formatting information contained in the View.

Note: Views are a facility of tablesONLINE, an optional tableBASE component.

3. TBDEFPRP (DK1TVWPR) prints Views and field definitions.
4. TBCOBF (DK1TCOBF) generates COBOL data description copybooks for use in user-written tableBASE applications.
5. DK1TCSTR generates C structures for use in user-written tableBASE applications.
6. TBCOMP (DK1TCOMP) compares tables and identifies any differences for examination.
7. DK1TCNV is used to convert tableBASE libraries between Version 5 (V5), Library Bridge (Bridge), Version 6 Transition (V6TRANS), and Version 6 (V6).
8. DK1TLCHK is used to identify the version of a tableBASE library.

Note: TPDRIVER is an additional batch utility, which is only used with the DataKinetics VTS Manager product. It provides VTS-TSR management features such as defining VTS-TSRs, assigning alias names, auto-starting VTS-TSRs, switching VTS-TSRs, and more. If you have a license for VTS Manager, consult the *VTS Manager Administration Guide* to learn how to use TPDRIVER.

2

TBEXEC (DK1TEXEC) commands

In this chapter, a brief summary of each command is presented, followed by an alphabetical listing of the parameters used in the TBEXEC commands. The chapter concludes with a detailed definition of each command.

The TBEXEC (DK1TEXEC) program is a tableBASE batch utility program that allows users to perform a variety of maintenance functions for tableBASE libraries and tables. This chapter identifies and describes each of the available commands and provides examples of how they are used.

Use the TBEXEC program to manipulate tableBASE libraries. These libraries reside on external devices and must be initialized by TBEXEC, tablesONLINE/ISPF, or a batch program that calls tableBASE. A tableBASE library has a directory that allows for nine generations of each table.

The TBEXEC program manages the tables that are placed in tableBASE libraries, keeping track of the characteristics of each table, such as the number of rows in the table, the row size, and its table organization. Defining, copying, loading, unloading, and clearing a table are functions easily performed by TBEXEC using keyword commands.

Note: TBEXEC does not work with or use VTS-TSRs, and it cannot be run with the multi-tasking switch (MULTITASKING=Y) turned on.

If passwords are forgotten, TBEXEC can make a date-variable Master Password facility available that allows access to tableBASE tables. DataKinetics Ltd. has supplied details of the operation of the Master Password facility to your tableBASE administrator in the *tableBASE Administration Guide*.

TBEXEC accepts only DDnames that are alphanumeric, and conform to standard IBM naming conventions.

Command summary

Table 2-1 is a summary of the commands available in TBEXEC, listed in alphabetical order. Subsequent sections provide details of their use.

Table 2-1: TBEXEC commands

Command	Description	Parameters
CHANGE	Change table characteristics.	
	Option 1: Change the definition of a table.	EXPFACR, GEN, ISZ/RSZ, KSZ, KLOC, LIB, LOWERDEN, MAXGEN, MTHD, ORG, INDEX, PSWD, RPSWD, SMC, TBL†, TTYPE, UCOMMENT, UPPERDEN, WPSWD
	Option 2: Change an Alternate Index definition.	ALT†, BASENAME, KSZ, KLOC, LIB, MTHD, ORG
CLEAR	Clear or empty a table.	GEN, LIB, PSWD, TBL†, TTYPE
COPY	Copy a table, table generation, or a library:	
	Option 1: Copy a table generation.	GEN, LIB, NEWID, NEWNAME, PSWD, REPLACE, TBL†, TO†, TTYPE, WPSWD
	Option 2: Copy all generations of a table.	ALLGEN†, NEWID, NEWNAME, PSWD, REPLACE, TBL†, TO†, TTYPE, WPSWD
	Option 3: Copy a tableBASE Library.	FROM†, NEWID, REPLACE, TO† EXCLUDE, EXCLFILE, TTYPE
DEFINE	Initialize a new library, define a new table, define an Alternate Index:	
	Option 1: Initialize a new tableBASE Library.	NEWLIB†
	Option 2: Define a new table.	EST, EXPACTR, ISZ/RSZ, KSZ, KLOC, LIB, LOWERDEN, MAXGEN, MTHD, ORG, INDEX, PSWD, RPSWD, SMC, TBL†, TTYPE, UCOMMENT, UPPERDEN, WPSWD
	Option 3: Create an Alternate Index definition.	ALT†, BASENAME†, KSZ, KLOC, LIB, MTHD, ORG

Command	Description	Parameters
DELETE	Delete one or more table generations:	
	Option 1: Delete one generation of a table.	GEN, LIB, PSWD, TBL†, TTYPE
	Option 2: Delete all generations of a table.	ALLGEN†, LIB, PSWD, TBL†, TTYPE
EXPAND	Expand / increase size of a tableBASE library.	LIB, NEWLIB†
EXPORT	Convert a tableBASE library or table to a sequential dataset:	
	Option 1: Convert a library or table to a sequential dataset.	LIB†, PSWD, TO†
	Option 2: Convert a table to a sequential dataset	LIB†, PSWD, TBL†, TO†, TTYPE
IMPORT	Copy an exported sequential dataset into a tableBASE library.	FROM†, LIB, REPLACE
LOAD	Load a table generation from a sequential dataset.	DUP, FROM†, GEN, LIB, PSWD, RECCOUNT, STARTBYT, STARTREC, TBL†, TTYPE
PRINT	Prints information about a directory, table generation, and/or table contents.	
	Option 1: List Directory.	DETAIL, LIB
	Option 2: Print Table Information.	DEF†, LIB, TTYPE
	Option 3: Print Table Contents.	BTYCOUNT, GEN, LIB, LINSIZ, PRNT, PSWD, RECCOUNT, STARTBYT, STARTREC, TBL†, TTYPE
RENAME	Rename table generations.	LIB, NEWNAME†, PSWD, TBL†, TTYPE
SET	Establishes default values for keywords.	LIB, LINSZ, PRNT, PSWD
UNLOAD	Write a specified table generation to a sequential dataset.	GEN, LIB, PSWD, RECCOUNT, STARTBYT, STARTREC, TBL†, TO†, TTYPE
UPDATE	Update a table from an input dataset.	GEN, LIB, PSWD, REMOVE*, TBL†, TTYPE, WITH*

† = required parameter; * = at least one of these parameters

Notes:

- i. TBEXEC commands are specified in control statements read by TBEXEC from a file identified by the DDNAME CNTLCARD.
- ii. A TBEXEC command sequence consists of a command and a list of parameters specified by keyword and value combinations terminated by a semicolon (;).
- iii. Each command has the following appearance:

```
COMMAND KEYWORD1=VALUE KEYWORD2=VALUE;
```

KEYWORD=VALUE is the representation of a keyword-value combination and may be repeated for each parameter of the command.
- iv. Any input statement starting with an asterisk (*) in column one is treated as a comment.

The following rules apply to TBEXEC:

1. Each command sequence must start on a new line.
2. A command sequence must be terminated by a semicolon (;). Anything following a semicolon is ignored.
3. The command and each keyword-value combination must be followed by at least one blank.
4. Keyword-value combinations may appear in any order.
5. Columns 73-80 of a statement are ignored.
6. Blanks may occur freely, provided that they do not break up commands, keywords, or value fields.
7. The character set for unquoted fields is limited to alphanumeric characters 0-9 and uppercase A-Z.
8. Values that contain special characters must be enclosed in quotes (').

TBEXEC terminates when end of file is reached on the input CNTLCARD file.

Interpreting command parameters

Each TBEXEC command has one or more parameters. Some are required, others are optional. The conventions for interpreting the various options of the parameters are:

- a slash (/) indicates a choice among alternatives
- an asterisk (*) is used to set a field to blanks
- parentheses () are used to designate optional parameters and are not coded on the command

Parameter descriptions

Most of the commands used in TBEXEC require parameters. [Table 2-2](#) lists these parameters in alphabetical order.

Table 2-2: TBEXEC parameters

Parameter	Description
ALLGEN	Denotes that all generations of a table are to be processed by the command. When used, the value must be YES.
ALT	The name of the Alternate Index.
BASENAME	The name of the Data Table for which this is an Alternate Index. The name has a maximum length of 8 bytes. If the name contains non-alphanumeric characters, it must be enclosed in quotes (').
BYTCOUNT	The number of bytes to be used from the table row. The default is the row size.
DEF	The name of the table to be used.
DUP	<p>This LOAD command parameter indicates whether or not duplicate key rows will be loaded into a tableBASE table.</p> <ul style="list-style-type: none"> • DUP=(Y/N); default is Y • DUP=Y allows loading of a sequential file containing duplicate keys rows to a tableBASE table • DUP=N means only the first occurrence of a row with duplicate keys from the sequential file will be loaded into a tableBASE table; subsequent duplicate rows will not be loaded. The following message will be displayed: <pre>LOAD WARNING: xxxxxxxxxx ROWS HAVE BEEN LOADED; YYYYYYYYY DUPLICATE ROWS NOT LOADED.</pre>
EST	An estimate of the number of rows that will be loaded into the table the first time it is used. The default value depends on the table organization and row size, which is explained in greater detail the <i>tableBASE Programming Guide</i> .
EXCLFILE	This COPY command parameter will exclude a list of table names supplied in a file from being copied from FROMLIB (the DDNAME of the dataset from which data is to be taken) to TOLIB (the DDNAME of the dataset into which data is to be copied).

Parameter	Description
EXCLUDE	This COPY command parameter will exclude a table from being copied from FROMLIB (the DDNAME of the dataset from which data is to be taken) to TOLIB (the DDNAME of the dataset into which data is to be copied).
EXPFACTR	An integer between 1-999 representing the number of tenths of a percent in the expansion factor. An expansion factor of 250, for example, will be treated as 25%. The default is 200. The Expansion Factor field is described in the <i>tableBASE Programming Guide</i> .
FROM	The DDNAME of the dataset from which data is to be taken.
GEN	A number from -8 to +255 identifying the generation of a table. If this parameter is: <ul style="list-style-type: none"> • zero or is omitted, the most recent generation will be assumed • positive, it refers to an absolute generation number • negative, it refers to a relative generation number
INDEX	A one-character code with value of T or P to indicate whether the table data is to be maintained as a True table (T) or as a Pointer table (P). The default is P. With Version 6, all tables are Pointer tables. The value T is retained for backwards compatibility.
ISZ	A number between 1-32767 that identifies the length of the row. The default value is 1. ISZ is a synonym for RSZ.
KSZ	A number between 1-256 that identifies the length of the key. The default value is 1.
KLOC	KLOC identifies the starting position of the key within the row. The default of 1 represents a key starting at the beginning of the row.
LIB	The name of a DD statement connected to a tableBASE library. Unless changed by the SET command, the default is MAINLIB.
LINSIZ	A number between 1-100 that represents the number of bytes of table data to be printed per line. If omitted, or if 0 is entered, the default is 100 or the value specified on the most recent SET command.
LOWERDEN	An integer between 1-999 representing, in the thousands, the lowest density a Hash table may have. A lower density of 700, for example, will be treated as 70%. Density is discussed in the <i>tableBASE Programming Guide</i> .

Parameter	Description
MAXGEN	A number between 1-9 that represents the number of generations to be kept for the table. The default value is 1.
MTHD	A one-character code indicating the table search method to be used: S (Serial), Q (Queued Sequential), B (Binary), C (Bounded Binary), and H (Hash). The default value is S or depends on the ORG parameter setting; see below.
NEWID	This COPY command parameter indicates whether the update history of the table should change when a table is copied (default is YES). Alternate Indexes are always copied as NEWID=YES, as the setting of NEWID is ignored. If NEWID is NO, the userid and timestamp are not updated when the table is copied.
NEWLIB	The DDNAME of a new tableBASE library to be initialized or the target of an EXPAND command.
NEWNAME	A new table name for a copied or renamed table. The name has a maximum length of 8 bytes. If the name contains non-alphanumeric characters, it must be enclosed in quotes (').
ORG	A one-character code indicating how the data in a table is to be organized: R (Random), U (User-Controlled), S (Sequential), D (Descending Sequential), or H (Hash). The default is R.
PRNT	A one-character code indicating the format to be used to print the table contents: C (Character), H (Hexadecimal), or B (Both). If omitted, the default is C or the value specified by the most recent SET command.
PSWD	The read or write password used to gain access to a protected table. It will be used in commands where a password is required. If '*' is specified in the SET command, the default will be restored to the normal default value, which is eight blanks. The maximum length of a password is 8 bytes.
RECCOUNT	A number used to limit the number of rows loaded to, or taken from, a table.
REMOVE	The DDNAME of the dataset which contains the keys of table entries to be removed.
REPLACE	A parameter to indicate that an existing table is to be replaced by a table named in the COPY function.
RPSWD	Read password, if read password protection is desired.
RSZ	A number between 1-32767 that identifies the length of the row. The default value is 1. RSZ is a synonym for ISZ.

Parameter	Description
STARTBYT	A number that indicates the location in the table entry or input record from which data is to be retrieved. The default value is 1.
STARTREC	A number that indicates the record at which printing, loading, or unloading is to start. The default value is 1.
SMC	A one-character code that denotes the table's storage mode code. Version 6 supports only R (Resident). Since this is the default value, there is no need to use this keyword, and is only provided for backwards compatibility.
TBL	Denotes the name of the table to be used for the command. The name has a maximum length of 8 bytes. If the name contains non-alphanumeric characters, it must be enclosed in quotes ().
TO	Indicates the DDNAME of the dataset into which data is to be copied.
TTYPE	This parameter can be used to specify the name of a View. Views have the first character of their table name as a lower case letter. A table with the name ABC may have a View named aBC. <ul style="list-style-type: none"> • If TTYPE is blank the table name refers to a Data Table name. • If TTYPE is V (or F), the table name refers to a View name. F is supported for backwards compatibility. • When TTYPE is specified with commands using the parameters TBL, DEF, and NEWNAME, it will cause each name to be converted.
UCOMMENT	A 16 byte character field that can be used to describe the purpose of the table. <ul style="list-style-type: none"> • Anything other than 0 to 9 or upper case A to Z must be enclosed in single quotes. • Value is blank padded on the right if less than 16 characters. • An * in the first byte sets the field to blanks. • If all 16 bytes are blanks or low-values, no change is made to the field.
UPPERDEN	An integer between 1-999 representing, in the thousands, the highest density a Hash table may have. An upper density of 850, for example, will be treated as 85%. The default is 800. Density is discussed in the <i>tableBASE Programming Guide</i> .

Parameter	Description
WITH	Indicates the DDNAME of the dataset from which data is to be retrieved for the purpose of updating a table.
WPSWD	Write password, if write password protection is desired. If not specified on the DEFINE command, it will be set to the read password.

CHANGE command

The CHANGE command modifies elements of a table definition, subject to the constraints specified for all change commands as defined in the description of TBLBASE. For further details on TBLBASE, see the *tableBASE Programming Guide*.

Option 1: change the definition of a table

Option 1 (see [Table 2-1](#) on page 18) is indicated by the keyword TBL. Changes made to the definition can cause the contents to be physically reorganized. If the table named is an Alternate Index, changes that affect the Alternate Index definition are made to the Alternate Index definition; changes that do not affect the Alternate Index definition are not made anywhere even if they appear to be successful.

CHANGE

TBL=(table name)	Required keyword
TTYTYPE=(table name conversion - blank/V)	
LIB=(library name)	
GEN=(generation number)	
PSWD=(write password)	
ORG=(R/U/S/D/H)	
MTHD=(S/Q/B/C/H)	
MAXGEN=(new max. no. of generations)	
INDEX=(T/P)	all tables are P internally in Version 6
SMC=(storage mode code - R)	not required in Version 6
ISZ=(new row size)	
KSZ=(new key size)	
KLOC=(new key location)	
RPSWD=(new read password/*)	
WPSWD=(new write password/*)	
UCOMMENT=(new user comments/*)	
UPPERDEN=(new upper density)	
LOWERDEN=(new lower density)	
EXPFACTR=(new expansion factor);	

Action

If a table's password and write password match, the generation indicated will be opened and changed according to the specified keywords. It is then stored as a new generation. Previous generations will be aged according to normal generation practice.

The existing read and write passwords can be removed by setting RPSWD=* and WPSWD=*

Option 2: change an Alternate Index definition

Option 2 (see [Table 2-1](#) on page 18) is indicated by the keyword ALT. The definition specified must be an Alternate Index definition.

CHANGE

ALT=(alternate index name) **Required keyword**
LIB=(library name)
ORG=(R/U/S/D/H)
MTHD=(Q/S/B/C/H)
KSZ=(new key size)
KLOC=(new key location)
BASENAME=(new data table name);

Action

The alternate definition identified will be deleted and a new definition created using the new values specified, while retaining the old values for any values not specified.

CHANGE command use

The following two examples show two different ways of using of the CHANGE command.

Example 1—change table organization from Sequential to Hash

This change will be used to see whether Hash searching is more efficient than Binary searching. The table name is COUNTIES and it is on the tableBASE library identified by the DDNAME TESTLIB.

```
CHANGE LIB=TESTLIB TBL=COUNTIES ORG=H MTHD=H  
UCOMMENT='Counties in NJ';
```

Example 2—change the name of the Data Table

Change the name of the Data Table for the Alternate Index definition DISTRICT.REGION is the new contents table name. The alternate table is in the tableBASE library identified by the DDNAME MAINLIB.

```
CHANGE ALT=DISTRICT BASENAME=REGION;
```

CLEAR command

The CLEAR command empties a table of all its rows, leaving it with zero table rows.

CLEAR

TBL=(table name) **Required keyword**
TTYPE=(table name conversion - blank/V)
LIB=(library name)
GEN=(generation number)
PSWD=(write password);

Action

Creates a new generation with no rows, using the definition of the named generation.

CLEAR command use

The following shows one use of the CLEAR command.

Example 1—delete all rows in latest generation

Delete all the rows in the latest generation of table PARTNO on tableBASE Library MAINLIB (default).

```
CLEAR TBL=PARTNO;
```

COPY command

The COPY command copies a table generation, a table, or a library.

Option 1: copy a table generation

This option (see [Table 2-1](#) on page 18) of the COPY command copies one generation of a table from one tableBASE library to another tableBASE library. This option is indicated by the keyword TBL and by the absence of the ALLGEN keyword.

COPY

TBL=(table name) **Required keyword**
TTYPE=(table name conversion - blank/V)
TO=(destination library) **Required keyword**
LIB=(library name)
GEN=(generation number)

PSWD=(read password/write password)
 NEWNAME=(table name)
 NEWID=(YES/NO) Default is YES
 REPLACE=(YES/NO) Default is NO
 WPSWD=(new write password/*);

Notes:

- i. The parameter TTYPE=V is supplied when copying a View. This will ensure that the View name is used for both the TBL and NEWNAME parameters.
- ii. NEWID applies only to data tables; it does not apply to alternates.

Action

If the password of the table to be copied is correct, the specified generation will be copied to the library named by destination library. The copy will not be carried out if there is a table with the same name on the destination library unless the REPLACE parameter is YES.

When the NEWID parameter is YES (default), all table characteristics will be copied to the new table along with the contents, except for the date, time, and user ID of the last change. The new table definition will be updated with the date, time, and user ID of the copy operation. When the NEWID parameter is NO, all table characteristics including the original date, time and user ID of last change will be copied along with the contents. This permits a table to be restored with original update history information preserved.

Note: The existing write password can be removed by setting WPSWD to *.

Option 2: copy a table (all generations)

This option (see [Table 2-1](#) on page 18) of the COPY command copies all generations of a table from one tableBASE library to another tableBASE library. This option is indicated by the keyword TBL and ALLGEN=YES.

COPY

TBL=(table name) **Required keyword**
 TTYPE=(table name conversion - blank/V)
 TO=(destination library) **Required keyword**
 ALLGEN=YES **Required keyword**
 LIB=(library name)
 PSWD=(read password/write password)
 NEWNAME=(table name)
 NEWID=(YES/NO) Default is YES
 REPLACE=(YES/NO) Default is NO
 WPSWD=(new write password/*);

Notes:

- i. The parameter TTYPE=V is supplied when copying a View. This will ensure that the View name is used for both the TBL and NEWNAME parameters.
- ii. NEWID applies only to data tables; it does not apply to alternates.

Action

If the password of the table to be copied is correct, all the generations of the table will be copied to the library named by 'destination library'. The copy will not be carried out if there is a table with the same name on the destination library unless the REPLACE parameter is YES.

When the NEWID parameter is YES (default), all table characteristics will be copied to the new table along with the contents, except for the date, time, and user ID of the last change. The new table definition will be updated with the date, time, and user ID of the copy operation. When the NEWID parameter is NO, all table characteristics including the original date, time and user ID of last change will be copied along with the contents. This permits a table to be restored with original update history information preserved.

Note: The existing write password can be removed by setting WPSWD to *.

Option 3: copy a library

This option (see [Table 2-1](#) on page 18) of the COPY command copies one tableBASE library to another.

COPY

FROM=(library #1)	Required keyword
TO=(library #2);	Required keyword
NEWID=(YES/NO)	Default is YES
REPLACE=(YES/NO)	Default is NO
EXCLUDE=(tablename)	
EXCLFILE=(filename)	
TTYPE=(blank/V)	Default is blank

Notes:

- i. NEWID applies only to data tables; it does not apply to alternates.
- ii. (tablename) can be the data table name or view name. When specifying a view name, use a lowercase first letter, enclosed in single quotes, for example, EXCLUDE='VIEWNAME'. If the view name is not supplied in quotes, then the error message 'Keyword is Invalid' will be returned.
- iii. (filename) is a sequential file with 8-byte records containing table or view names; if the record contains more than 8 bytes, only the 1st 8 bytes are used.

- iv. If EXCLUDE=<tablename> is used with <tablename> supplied in single quotes with the view name, then the view will be excluded from the source library. If EXCLUDE=<tablename> is used with TTYPE=V where <tablename> is the data tablename, <tablename> will be converted to the equivalent view name and excluded from the source library.
- v. For excluding views using EXCLFILE=<filename>, view names must have a lower case as the first letter of the tablename.
- vi. If both EXCLUDE and EXCLFILE are used, then all table or view names supplied will be excluded.
- vii. If TTYPE is used in conjunction with EXCLFILE, then it is ignored.

Action

Library is the DDNAME of a DD statement that points to the relevant tableBASE library. The contents of tableBASE library #1 will be copied to tableBASE library #2 except for those tables or views specified in the EXCLUDE or EXCLFILE parameters. Library #2 must exist or have been initialized by the DEFINE Command. Tables which already exist on library #2 will not be copied, unless REPLACE=Y is specified.

When the NEWID parameter is YES (default), all table characteristics will be copied to the new tables along with the contents, except for the date, time, and user ID of the last change. The new table definitions will be updated with the date, time, and user ID of the copy operation. When the NEWID parameter is NO, all table characteristics including the original date, time and user ID of last change will be copied along with the contents. This permits a table to be restored with original update history information preserved.

COPY command use

The following are four examples of using the COPY command:

Example 1—copy the latest generation

Copy the latest generation of table name TABLE01 on the tableBASE library MAINLIB (default) and its associated View to the tableBASE library PRODLIB. Replace the existing TABLE01.

```
COPY TBL=TABLE01 TO=PRODLIB REPLACE=YES;  
COPY TBL=TABLE01 TTYPE=V TO=PRODLIB REPLACE=YES;
```

Example 2—create a copy of a table

Create a copy of a table, TABLE05, on the tableBASE library, MAINLIB, so that the copy may be used in testing without changing TABLE05.

```
COPY TBL=TABLE05 TO=MAINLIB NEWNAME=TABLE05X;
```

Example 3—copy all generations

Copy all generations of TABLE01 on the tableBASE library MAINLIB (default) to the tableBASE library PRODLIB. The copy will not be performed if a table called TABLE01 already exists on PRODLIB.

```
COPY TBL=TABLE01 TO=PRODLIB ALLGEN=YES;
```

Example 4—copy MAINLIB to DDNAME BACKUP

Copy the tableBASE library MAINLIB to a library identified by the DDNAME BACKUP. This must be a tableBASE library. Any tables on MAINLIB that already exist on BACKUP will not be copied.

```
COPY FROM=MAINLIB TO=BACKUP;
```

Example 5—copy MAINLIB to DDNAME BACKUP

Copy the tableBASE library MAINLIB to a library identified by the DDNAME BACKUP. This must be a tableBASE library. Any tables on MAINLIB that already exist on BACKUP will not be copied. Exclude the table TABLE01, and all tables listed in the file BADTABS from being copied. EXCLUDE table is to be a table name (not a view name).

```
COPY FROM=MAINLIB TO=BACKUP EXCLUDE=TABLE01 EXCLFILE=BADTABS  
TTYTYPE=blank;
```

DEFINE command

The DEFINE command initializes a new library, defines a new table, or defines an Alternate Index.

Option 1: initialize a new tableBASE library

This option (see [Table 2-1](#) on page 18) is indicated by the keyword NEWLIB.

DEFINE

```
NEWLIB=(library name);           Required keyword
```

Action

The dataset connected to the DDNAME 'library name' will be initialized as a tableBASE library.

Option 2: define a new table

This option (see [Table 2-1](#) on page 18) is indicated by the keyword TBL. The library in which this table is to be defined must already exist.

DEFINE

TBL=(table name) **Required keyword**
TTYPE=(table name conversion - blank/V)
LIB=(library name)
ORG=(R/U/S/D/H)
MTHD=(S/Q/B/C/H)
MAXGEN=(max. no. of generations allowed)
INDEX=(T/P)
SMC=(storage mode code)
ISZ=(row size)
KSZ=(key size)
KLOC=(key location)
EST=(estimated number of rows)
RPSWD=(read password)
WPSWD=(write password)
UCOMMENT=(user comments)
UPPERDEN=(upper density)
LOWERDEN=(lower density)
EXPFACTR=(expansion factor);

Action

A table is defined in the named library.

Option 3: create an Alternate Index definition

This option (see [Table 2-1](#) on page 18) is indicated by the keyword ALT and the absence of the keywords NEWLIB and TBL.

DEFINE

ALT=(alternate index name) **Required keyword**
BASENAME=(data table name) **Required keyword**
LIB=(library name)
ORG=(R/U/S/D/H)
MTHD=(S/Q/B/C/H)
KSZ=(key size)
KLOC=(key location);

Action

Creates an Alternate Index definition on the library specified.

DEFINE command use

The following examples show all of the ways to use the DEFINE command:

Example 1—initialize a tableBASE library

Initialize a tableBASE library identified by the DDNAME PRODLIB.

```
DEFINE NEWLIB=PRODLIB;
```

Example 2—define a new table

Define a new table, named TABLE02, on tableBASE library PRODLIB. The table is to be in ascending sequence by key and will be searched using a Binary search. Two generations of the table are to be kept to provide a backup, and the table will contain approximately 300 rows when full. Each row will be 120 characters long and the 18 character key starts in position 5.

```
DEFINE LIB=PRODLIB TBL=TABLE02 ORG=S  
MTHD=B MAXGEN=2 ISZ=120 KSZ=18  
KLOC=5 EST=300 UCOMMENT='New Table';
```

Example 3—create an Alternate Index

Create an Alternate Index definition called EMPNAME for the Data Table EMPNUM. The Alternate Index will use a 40 byte key starting in position 18. The Alternate Index will describe a Sequential table searched with a Binary search.

```
DEFINE ALT=EMPNAME BASENAME=EMPNUM  
KSZ=40 KLOC=18 ORG=S MTHD=B;
```

DELETE command

The DELETE command deletes one or more specified generations of a table.

Option 1: delete a single table generation

This option (see [Table 2-1](#) on page 18) is indicated by the absence of ALLGEN=YES.

DELETE

TBL=(table name) **Required keyword**
TTYPE=(table name conversion - blank/V)
LIB=(library name)
GEN=(generation number)
PSWD=(write password);

Action

The specified generation will be deleted.

Option 2: delete all generations of a table

This option (see [Table 2-1](#) on page 18) is indicated by ALLGEN=YES.

DELETE

TBL=(table name) **Required keyword**
TTYPE=(table name conversion - blank/V)
LIB=(library name)
ALLGEN =YES **Required keyword**
PSWD=(write password);

Action

All generations of the table will be deleted.

DELETE command use

Example 1—delete table generation

Delete generation -1 (one generation prior to the current generation) of the table TABLE01 on the tableBASE library identified by the DDNAME PRODLIB. The table is write-password protected.

```
DELETE LIB=PRODLIB TBL=TABLE01 GEN=-1 PSWD=BBBBBBBB;
```

Example 2—delete table and view

Delete TABLE01 and its associated View from the tableBASE library identified by the DDNAME PRODLIB. The table is write-password protected.

```
DELETE LIB=PRODLIB TBL=TABLE01 ALLGEN=YES  
PSWD=BBBBBBBB;
```

```
DELETE LIB=PRODLIB TBL=TABLE02 TTYPE=V;
```

Note: Views are a function of tablesONLINE, an optional tableBASE component.

EXPAND library command

The EXPAND command increases the size of a library. This operation performs a block-by-block copy of the original contents. Whenever the tableBASE library size needs to be changed, a new library must be allocated and initialized, and the contents of the old one copied into it using the EXPAND command. The original tableBASE library may then be deleted.

Unlike the COPY command, which modifies the date/time stamp for each table to the time of the copy operation, this command copies the LIB library to the NEWLIB library leaving the date/time stamps at the original table creation setting.

EXPAND

NEWLIB=(library name) **Required keyword**
LIB=(library name);

Action

The contents of tableBASE library (LIB) will be copied to tableBASE library NEWLIB without a change to the date/time stamp.

The target library must be initialized and emptied by using, for example, the TBEXEC DEFINE library command.

Both datasets (LIB and NEWLIB) must have a DISP of OLD.

The default value for LIB is MAINLIB, unless overridden by a SET command.

In Version 6 the EXPAND command can increase the size of the NEWLIB's internal free-space directory. In previous versions, the EXPAND command could not increase the size of the NEWLIB's internal free-space directory.

Note: Once converted, Version 6 format libraries may be expanded. However, expansion will mean that they can no longer be converted back to the Release 5.x format.

Note: tableBASE Version 6 libraries are not compatible with previous releases. For more information see Appendix B of the *tableBASE Installation Guide*.

EXPAND command use

The following example shows how to use the EXPAND command.

Example 1—expand a library

Expand tableBASE library MAINLIB into a library identified by the DDNAME LARGELIB. The target library has been previously initialized and is empty by having used, for example, the TBEXEC DEFINE Library command.

```
EXPAND NEWLIB=LARGELIB;
```

EXPORT command

The EXPORT command converts either individual tables or an entire tableBASE library to a sequential dataset. It provides a mechanism to synchronize tableBASE tables and libraries residing on different platforms.

Option 1: export an entire library

EXPORT

LIB=(library name)	Required keyword
TO=(DDNAME)	Required keyword
PSWD=(read password/write password);	

Action

The library specified by the DDNAME defined in the LIB keyword field will be copied to the file defined by the DDNAME specified in the TO keyword field. The output dataset specified in the TO keyword should be defined as a sequential dataset (DSORG=PS) containing fixed-length records that are 512 bytes in length. The command also lists the number of tables exported. If any tables are password protected, the PSWD keyword with the appropriate password must be used. The PSWD keyword with the master password will allow all password protected tables to be exported.

If multiple libraries are to be exported, a different TO=(DDNAME) must be used for each library.

Option 2: export a specific table

EXPORT

TBL=(table name)	Required keyword
TTYPER=(tablename conversion—blank/V)	
LIB=(library name)	Required keyword
TO=(DDNAME)	Required keyword
PSWD=(read password/write password);	

Action

The latest generation of the table will be copied to the file defined in the DDNAME specified in the TO keyword field. The output dataset specified in the TO keyword should be defined as a sequential dataset (DSORG=PS) containing fixed-length records that are 512 bytes in length.

If multiple tables are to be exported to the same DDNAME, the EXPORT by Table control cards **MUST** be grouped together. The DDNAME specified will be closed when a different DDNAME is specified in the TO keyword field on any subsequent EXPORT command and at the end of the TBEXEC processing for all commands. Thus if an EXPORT to a previously referenced DDNAME occurs tableBASE will re-open the output file and start from the beginning. Any data that was put in the file previously will be overwritten.

If the table is password protected, the PSWD keyword with the appropriate password must be used. The PSWD keyword with the master password will allow all password protected tables to be exported.

EXPORT command use

The following example illustrates the use of the EXPORT command:

Example 1—export a tableBASE library to a sequential dataset

```
EXPORT LIB=PRODLIB TO=DOWNLOAD;
```

Example 2—export a table to a sequential dataset

```
EXPORT LIB=PRODLIB TBL=TABLE01 TO=DOWNLOAD;
```

IMPORT command

The IMPORT command copies a sequential dataset created by the EXPORT command to a tableBASE library. Used in conjunction with the EXPORT command, the IMPORT command provides a mechanism to synchronize tableBASE tables and libraries residing on different platforms.

Import

LIB=(library name)	Required keyword
FROM=(DDNAME)	Required keyword
REPLACE=NO/YES;	Replace tables on the library, NO is the default value

Action

The fixed-length sequential file (DSORG=PS) defined by the DDNAME specified in the FROM keyword will be written to the library specified by the DDNAME defined in the LIB keyword. The command also lists the number of tables imported. Table passwords in the originating library are retained.

IMPORT command use

The following example illustrates the use of the IMPORT command:

Example 1—import a sequential dataset

```
IMPORT LIB=PRODLIB FROM=UPLOAD REPLACE=NO;
```

LOAD command

The LOAD command loads a table from a sequential dataset (DSORG=PS) into a tableBASE library, creating a new generation of the table. To perform this function, the table must already exist.

LOAD

TBL=(table name)	Required keyword
TTYPE=(table name conversion - blank/V)	
FROM=(DDNAME)	Required keyword
LIB=(library name)	
GEN=(generation number)	
PSWD=(write password)	
DUP=(YES/NO)	Default is YES
STARTREC=(record number at which loading starts)	

RECCOUNT=(maximum number of records to be loaded)
STARTBYT=(byte within each record at which loading starts);

Action

If PSWD is the correct write password, a new generation of the named table is created from the records of the dataset connected to the DDNAME of the FROM parameter. The definition of the generation specified determines how the data is stored. STARTREC and RECCOUNT can be used to control the records loaded; STARTBYT can be used to control the portion of each record loaded. The number of loaded rows is displayed.

LOAD command use

The following example illustrates the use of the LOAD command:

Example 1—load a sequential dataset into a tableBASE library

LOAD table PARTNO from the file identified by the DDNAME PARTFLE. The table must have been defined prior to this command.

```
LOAD TBL=PARTNO FROM=PARTFLE;
```

PRINT command

The PRINT command prints information about the directory, a table generation, and/or the contents of a particular generation of a specified table.

Option 1: list directory

The List Directory option (see [Table 2-1](#) on page 18) of the PRINT command prints directory information for each table in a tableBASE library. This option is specified by the absence of the keywords DEF and TBL.

PRINT

DETAIL=(YES/NO) Default is NO
LIB=(library name);

Action

The PRINT command provides the following information for each table in the directory of the named tableBASE library:

- name
- table type

- absolute generation number of each generation present
- date and time that each generation was created
- library dataset name
- amount of space allocated/remaining

When the DETAIL parameter is YES, the following information for each table in the directory of the named tableBASE library will also be provided:

- table organization
- table search method
- index code
- storage mode code (obsolete, printed for reference)
- number of rows in the table
- row size
- user id that last stored the table
- user comments for the table

The library Dataset Name is also printed, along with the amount of space allocated to the library and the amount of space that remains for use.

Option 2: print table information

The Print Table Information option ([Table 2-1](#) on page 18) of the PRINT command lists a table definition. This option is indicated by the keyword DEF.

PRINT

DEF=(table name) **Required keyword**
TTYPE=(table name conversion - blank/V)
LIB=(library name);

Note: PRINT DEF will print the definition if the table has a READ password; PRINT TBL will not print anything for a password-protected table, unless the password is supplied on the PRINT command.

Action

The following table information is printed for each generation of the named table that resides in the specified tableBASE library:

- absolute generation number
- the maximum number of generations to be retained

- number of generations existing at present
- relative generation number
- date and time created
- number of rows in the table
- number of rows allocated in the table
- table organization
- table search method
- index code
- storage mode code (obsolete, printed for reference)
- level of password protection

Note: READ/WRITE indicates password security; it does not identify the type of password security (RO, R/W); NONE indicates no password security. (See example in [Figure 3-5](#) on page 58)

- row size
- key length
- key location
- expansion factor
- upper density
- lower density
- actual density of the table
- View version
- user id that last stored the table
- View name of an associated View

Note: Views are a function of tablesONLINE, an optional tableBASE component.

Option 3: print table contents

The Print Table Contents option (see [Table 2-1](#) on page 18) is indicated by the keyword TBL.

PRINT

TBL=(table name) **Required keyword**
TTYPE=(table name conversion - blank/V)
LIB=(library name)
GEN=(generation number)
PSWD=(read password/write password)

PRNT=(print option - C/H/B)
LINSIZ=(print line size)
STARTREC=(row number at which printing starts)
RECCOUNT=(maximum rows to be printed)
STARTBYT=(byte number at which printing starts)
BYTCOUNT=(maximum bytes to be printed);

Action

For the table generation specified, the Print Table Contents option lists the contents of the table in character (C), hexadecimal (H), or both (B) modes depending on the value of the PRNT keyword selected. STARTREC and RECCOUNT limit the portion of each table printed. The definition information for the specified table generation will be output in a format similar to that described in option 2, above.

PRINT command use

The following examples illustrate the use of the PRINT command:

Example 1—list the directory of a tableBASE library

List the Directory of a tableBASE library whose DDNAME is MAINLIB.

```
PRINT LIB=MAINLIB;  
or  
PRINT;
```

Example 2—list the definition of a table

List the definition of TABLE01 on tableBASE library MAINLIB.

```
PRINT LIB=MAINLIB DEF=TABLE01;
```

Example 3—list table contents

List the contents of generation 2 of TABLE01 on tableBASE library PRODLIB. The listing is to be in hexadecimal format, 80 characters to a line and the table is not password protected.

```
PRINT LIB=PRODLIB TBL=TABLE01 GEN=2 PRNT=H LINSIZ=80;
```

RENAME command

The RENAME command renames all generations of a table in a tableBASE Library.

RENAME

TBL=(table name) **Required keyword**
NEWNAME=(new table name) **Required keyword**
TTYPE=(table name conversion - blank/V)
LIB=(library name)
PSWD=(write password);

Action

Renames all generations of a table in a given tableBASE Library.

Note: The RENAME will not be performed if a table with the new table name already exists in the library.

If the TTYPE parameter is used, it will cause both the table names specified in the TBL and the NEWNAME parameters to be converted.

RENAME command use

The following example illustrates the use of the RENAME command:

Example 1—Rename Table Generations

Rename all generations of TABLE01 to TABLE02 and the associated View Table on the tableBASE library MAINLIB (default).

```
RENAME TBL=TABLE01 NEWNAME=TABLE02;
```

```
RENAME TBL=TABLE01 TTYPE=V NEWNAME=TABLE02;
```

SET command

The SET command sets default values for selected keywords.

SET

LIB=(library name)
PSWD=(password/*)

PRNT=(print option)
LINSIZ=(line size);

Action

Establishes default values for LIB, PSWD, PRNT, and LINSIZ that will be used in subsequent commands, unless explicitly overridden.

SET command use

The following example illustrates the use of the SET command:

Example 1—set default values

Print the hexadecimal contents of several tables on library TESTLIB.

```
SET LIB=TESTLIB PRNT=H;  
PRINT TBL=TABLE01;  
PRINT TBL=TABLE02;  
PRINT TBL=TABLE03;
```

UNLOAD command

The UNLOAD command copies a specified generation of a table to a sequential output dataset.

UNLOAD

TBL=(table name) **Required keyword**
TTYPE=(table name conversion - blank/V)
TO=(DDNAME) **Required keyword**
LIB=(library name)
GEN=(generation number)
PSWD=(read password/write password)
STARTREC=(row number at which unloading starts)
RECCOUNT=(maximum rows to be unloaded)
STARTBYT=(byte number in row at which unloading starts);

Action

The specified generation is written to the dataset connected to the DD statement named DDNAME in the TO parameter field. STARTREC and RECCOUNT can be used to limit the rows unloaded; STARTBYT can be used to control the portion of each row unloaded.

If the record length is greater than the row size, the remainder of the record is filled with spaces.

If the record length of the dataset defined by the TO keyword is less than the ROWSIZE of the table, the unloaded rows will be truncated to the record length of dataset.

The number of unloaded rows is displayed.

Note: Hash tables will not be in key sequence when they are unloaded. Empty rows will be dropped.

UNLOAD command use

The following example demonstrates how to use the UNLOAD command:

Example 1—copy a table generation to an output dataset

Copy the contents of table PARTNO on the tableBASE Library MAINLIB to the dataset identified by the DDNAME PARTFLE.

```
UNLOAD LIB=MAINLIB TBL=PARTNO TO=PARTFLE;
```

Target dataset rules

The rules for the target dataset are:

- QSAM DS with DISP=NEW or OLD are allowed; SHR is not allowed and will return error 33.
- BDAM DS is not allowed.
- PDS member with DISP=SHR or OLD is allowed
- PDSE member with DISP=SHR or OLD is allowed
- VSAM DS is not allowed
- DUMMY DD statements are allowed.

UPDATE command

The UPDATE command updates a table using data from a sequential dataset. Two files are available: one for adds and changes, and the other for deletes.

UPDATE

TBL=(table name)	Required keyword
TTYPE=(table name conversion - blank/V)	
WITH=(DDNAME)	WITH and/or
REMOVE=(DDNAME)	REMOVE are required
LIB=(library name)	
GEN=(generation number)	
PSWD=(write password);	

Action

The key of the record is assumed to be in the same position as the key in the table.

For each record on the REMOVE file, the table will be searched for a row with a matching key and if found the row will be deleted.

For each record on the WITH file, if the key is matched in the table, the corresponding entry will be replaced in its entirety by the data record. If the key is not matched, the data record will be inserted in the table.

Note: Only the first row found on the table with a key matching and input record will be updated or removed.

If both WITH and REMOVE keywords are present, the rows are inserted/replaced before the REMOVE rows are deleted.

All actions taken during the UPDATE command are logged on the TBRPT file.

UPDATE command use

The following examples illustrate the use of the UPDATE command:

Example 1—update a table

Update table TABLEXX with the data on the file identified by the DDNAME UPDFILE, removing those rows whose keys are found on DELFILE.

```
UPDATE TBL=TABLEXX WITH=UPDFILE REMOVE=DELFILE;
```

Example 2—eliminate duplicates

A file is available containing a record for each product ordered in a company. The supplier is contained in position 20 for a length of 10. A list of all suppliers on the file is required. The following code eliminates duplicate suppliers if there are multiple occurrences, prints the resulting table contents, and then deletes the temporary table.

```
DEFINE TBL=SUPPLIER ORG=S KLOC=20 KSZ=10 ISZ=30;  
UPDATE TBL=SUPPLIER WITH=PRODUCT;  
PRINT TBL=SUPPLIER;  
DELETE TBL=SUPPLIER ALLGEN=YES;
```

Note: For each record on the WITH file, the corresponding record will be replaced in its entirety, provided that the key is matched in the table. Therefore, the resultant table will not contain any duplicate supplier records.

3

Using TBEXEC (DK1TEXEC)

TBEXEC executes in a single-threaded batch environment against a local TSR. It issues tableBASE commands internally to verify or control its environment. It sets the WAIT switch internally to avoid unexpected results.

The TBEXEC is a batch tableBASE application. TBOPT can be used in a TBEXEC execution, just as it can be used in any batch job accessing tableBASE. For instance, it could be needed for TSRSIZE if the batch default is not large enough. For further information on the TBOPT dataset, see [Appendix B](#) on page 107.

This chapter describes the use of TBEXEC (DK1TEXEC). It begins by specifying the JCL required to run TBEXEC, followed by descriptions of how TBEXEC handles errors. Next, the standard reports produced by TBEXEC, audit report (TBMSG) and table listing report (TBRPT) are described. The chapter concludes with a listing of the error and audit messages issued by TBEXEC.

JCL to run TBEXEC

```
//STEP1 EXEC PGM=TBEXEC
//STEPLIB DD DISP=SHR,DSN=*YOUR.PREFIX*.TBASE.LOAD
//TBMSG DD SYSOUT=*
//TBRPT DD SYSOUT=*
//TBDUMP DD SYSOUT=*
//MAINLIB DD DSN=*YOUR.PREFIX*.TBASE.LIBRARY,DISP=SHR
//CNTLCARD DD *
command keyword = value ... keyword = value;
command keyword = value ... keyword = value;

/*
```

Note: TBRPT is required only if reports are to be produced

Create a new tableBASE library

To create a new tableBASE library:

1. Allocate the library dataset either by JCL for BDAM or by IDCAMS for VSAM.
2. Format the dataset with a TBEXEC DEFINE NEWLIB operation.

Below is JCL to create both a VSAM and BDAM tableBASE library:

```
//STEP1 EXEC PGM=IDCAMS
//SYSPRINT DD SYSOUT=*
//SYSIN DD *
DEFINE CLUSTER ( NAME(your.vsam.library) -
NUMBERED SPEED REUSE SHR(3) -
RECSZ(3120 3120) CISZ(3584) -
RECORDS(nnnn) -
VOLUMES(yourvol) )
/*
//STEP2 EXEC PGM=TBEXEC
//STEPLIB DD DSN=*YOUR.PREFIX*.TBASE.LOAD,DISP=SHR
//TBMSG DD SYSOUT=*
//TBRPT DD SYSOUT=*
//BDAMLIB DD DSN=your.bdam.library,DISP=(,CATLG),
// UNIT=yourunit,SPACE=(3120,nnnn,,,ROUND)
//VSAMLIB DD DSN=your.vsam.library,DISP=OLD
//CNTLCARD DD *
DEFINE NEWLIB=BDAMLIB;
DEFINE NEWLIB=VSAMLIB;
/*
```

An equally valid variation is to allocate BDAMLIB as DISP=(,CATLG) in Step 1 (above) and reference it as DISP=OLD in Step 2 (above). If your installation uses only BDAM, only STEP2 is required.

Note: Experience has shown that the control interval size cannot be set as desired using JCL to allocate a VSAM dataset. Although tableBASE VSAM supports control intervals of any allowable size, a size of 3584 bytes is recommended, thus the allocation of VSAM libraries by an IDCAMS step (as shown above) is also recommended.

The library size (nnnn) may be estimated by summing the following:

- Nine blocks (of 3120) for the space directory, larger for libraries greater than 168K blocks.
- Space to hold the contents of all generations of all tables. This value can be computed from the number of records and the size of each record in each table.
- One block per table to hold the contents of all generations (step 2) for overhead for definitions of the tables.

- Space for one generation of the largest table. This is needed when updating a table, because the new generation is stored on the library prior to deletion of the oldest generation.
- Room for short-term growth.
- An average of one block per 20 tables for the tables directory.

Note: In the JCL example above, the DDNAMES BDAMLIB and, NEWLIB, and OLDLIB can be any name satisfying normal JCL rules. The names actually chosen are communicated to TBEXEC in the control statements.

EXPORT and IMPORT a tableBASE library

The following sample JCL shows the steps involved in copying a tableBASE library to a sequential dataset, and then copying the exported dataset back into the tableBASE library:

```
//STEP1 EXEC PGM=TBEXEC
//STEPLIB DD DISP=SHR,DSN=*YOUR.PREFIX*.TBASE.LOAD
//TBMSG DD SYSOUT=*
//TBRPT DD SYSOUT=*
//SYSOUT DD SYSOUT=*
//TBDUMP DD SYSOUT=*
//MAINLIB DD DISP=SHR,DSN=*YOUR.PREFIX*.TBASE.LIBRARY
//EXPORT DD DSN=*your.sequential.file*,DISP=(NEW,PASS),
// UNIT=SYSDA,SPACE=(TRK,15),
// DCB=(RECFM=FB,LRECL=512,BLKSIZE=5120,DSORG=PS)
//CNTLCARD DD *
PRINT LIB=MAINLIB DETAIL=YES;
EXPORT LIB=MAINLIB TO=EXPORT;
IMPORT LIB=MAINLIB FROM=EXPORT REPLACE=YES;
PRINT LIB=MAINLIB DETAIL=YES;
/*
```

UNLOAD a table

The following sample JCL creates a sequential output dataset and copies a tableBASE table to that output dataset:

```
//STEP01 EXEC PGM=TBEXEC
//STEPLIB DD DISP=SHR,DSN=*YOUR.PREFIX*.TBASE.LOAD
//TBRPT DD SYSOUT=*
//TBMSG DD SYSOUT=*
//TBDUMP DD SYSOUT=*
//SYSOUT DD SYSOUT=*
//MAINLIB DD DISP=SHR,DSN=*YOUR.PREFIX*.TBASE.LIBRARY
//TESTDATA DD DSN=*your.sequential.file*,
//          DISP=(NEW,CATLG,DELETE),
//          UNIT=SYSDA,SPACE=(3120,(500,20),RLSE),
//          DCB=(RECFM=F,LRECL=3120,BLKSIZE=3120,DSORG=PS)
//CNTLCARD DD *
UNLOAD TBL=EXAMPLE TO=TESTDATA LIB=MAINLIB;
/*
```

LOAD a table

The following sample JCL creates a new tableBASE library and a new table, and then copies data from a sequential dataset into the new table:

```
//STEP01 EXEC PGM=TBEXEC
//STEPLIB DD DISP=SHR,DSN=*YOUR.PREFIX*.TBASE.LOAD
//TBRPT DD SYSOUT=*
//TBMSG DD SYSOUT=*
//TBDUMP DD SYSOUT=*
//SYSOUT DD SYSOUT=*
//TESTDATA DD DISP=SHR,DSN=*your.sequential.testdata.file*,
//TESTLIB DD DISP=SHR,DSN=*your.test.library*,
//          UNIT=SYSDA,SPACE=(3120,(15,1)),
//          DCB=(RECFM=F,LRECL=3120,BLKSIZE=3120,DSORG=PS)
//CNTLCARD DD *
DEFINE NEWLIB=TESTLIB;
DEFINE TBL=TABLE1 MAXGEN=3 LIB=TESTLIB ORG=S MTHD=B INDEX=T
SMC=R ISZ=4 KSZ=4 KLOC=1 EXPFACTR=0150 LOWERDEN=900 UPPERDEN=999;
LOAD TBL=TABLE1 FROM=TESTDATA LIB=TESTLIB;
/*
```

Error diagnosis

TBEXEC recognizes three classes of errors: command interpretation errors, command processing errors, and TBLBASE processing errors.

Command interpretation errors

Command interpretation errors are errors detected during the interpretation of command sequences.

Examples

Examples of command interpretation errors are:

- invalid command
- invalid keyword
- missing delimiter

Action

When a command interpretation error occurs, an error message is printed and TBEXEC skips to the next command sequence.

Command processing errors

Command processing errors are errors detected by TBEXEC during command processing.

Example

An example of a command processing error is:

- A DDNAME is missing in the JCL.

Action

When a command processing error occurs, an error message is printed and processing resumes with the next command sequence.

TBLBASE processing errors

TBLBASE processing errors are errors detected within TBLBASE, the application programming interface to tableBASE. See the *tableBASE Programming Guide* for detailed information about TBLBASE.

Examples

Examples of a TBLBASE processing errors are:

- invalid key size
- invalid password

Action

When a TBLBASE processing error occurs, an error message is printed along with an interpretation of the error code set by TBLBASE. Processing resumes with the next command sequence. A list of all error codes is found in the *tableBASE Programming Guide*.

Note: While TBEXEC executes in an environment, the step return code is set to 16 if an error is encountered during interpretation or execution of any command sequence. A return code of zero means all command sequences have been processed successfully.

Report descriptions

TBEXEC produces two report files: TBMSG, and TBRPT.

TBMSG report

The TBMSG report displays the control statements, associated messages, and any TBLBASE error codes returned while attempting to execute a command. A sample of the TBMSG report is shown in [Figure 3-1](#).

```

DATE/TIME: 2003/11/04 10:44      TABLE BASE AUDIT REPORT      PAGE: 1
TABLEBASE V601  LICENSED TO:

1
*** REQUEST:  DEFINE  NEWLIB=TESTLIB;
INITIALIZATION SUCCESSFUL

2
*** REQUEST:  SET      LIB=TESTLIB;
3
DEFAULTS HAVE BEEN SET

*** REQUEST:  DEFINE  TBL=TBL01  ORG=S  MTHD=B  MAXGEN=9  WPSWD=****

*** REQUEST:
ISZ=40  KSZ=5  KLOC=3  EST=50;
TABLE DEFINITION SUCCESSFUL

*** REQUEST:  LOAD    TBL=TBL01  FROM=ORIGINAL  PSWD=****;
NEW GENERATION LOADED

*** REQUEST:  CHANGE  TBL=TBL01  KLOC=38;
TABLE *TBL01  * COULD NOT BE OPENED          PASSWORD IS NOT VALID FOR
THIS TABLE
4
CHANGE NOT MADE FOR REASONS ABOVE

*** REQUEST:  UPDATE  TBL=TBL01  WITH=ADD  REMOVE=DELETE  PSWD=****;
TABLE UPDATED SUCCESSFULLY

*** REQUEST:  PRINT   TBL=TBL01  STARTBYTE=10  PSWD=****;
STARTBYT... FIELD IS GREATER THAN 8 CHARACTERS
COMMAND REJECTED FOR REASON ABOVE          - SKIPPING TO
5
NEXT COMMAND

*** REQUEST:  PRINT   TBL=TBL01  PSWD=****;
PRINT REQUEST COMPLETED SUCCESSFULLY

*** REQUEST:  PRINT   DEF=TBL01  PSWD=****;
PRINT REQUEST COMPLETED SUCCESSFULLY

*** REQUEST:  PRINT   ;
PRINT REQUEST COMPLETED SUCCESSFULLY
6
END OF DATA - TABLE BASE UTILITY ENDED

```

Figure 3-1: tableBASE audit report

Notes:

1. This area contains the name and address of the tableBASE client. It appears on the first page of the TBMSG Report.
2. '***REQUEST:' is followed by the command as input on the control card(s).
3. A message follows each command explaining what action was taken.
4. Although proper syntax was used, an error occurred which prevented the successful completion of the command TBLBASE attempted to process it. The correct password needs to be provided in this case. tableBASE error codes are further described in the *tableBASE Programming Guide*.
5. A syntax error was detected by TBEXEC. The programmer misspelled STARTBYT in this case.
6. This line is printed after all commands have been processed.

TBRPT report

The TBRPT report prints selected tables and their related definitions in character format, hexadecimal format, or both. To print columnar-style reports based on the formatting information contained in the Views, see [Chapter 4 “Table printing utility: TBPRINT \(DK1TPTBL\)”](#) on page 61.

[Figure 3-2](#) to [Figure 3-6](#) are samples of the reports produced by TBEXEC.

[Figure 3-2](#) and [Figure 3-3](#) are samples of update logs produced by TBEXEC when an UPDATE command is executed. Each log contains the key of each record on an update file and the action taken with each record. Two logs are produced if an UPDATE command uses both the WITH and REMOVE files.

DATE/TIME: 2003/11/04 10:44		TABLE BASE OPTIONAL REPORTS PAGE: 2	
TABLE BASE UPDATE LOG FOR TABLE TBL01 ON LIBRARY TESTLIB USING FILE ADD			
ACTION	RECORD SEQ	FIRST 100 BYTES OF KEY	

INSERTED	1	BBB	
REPLACED	2	GGG	
INSERTED	3	OOO	
INSERTED	4	ZZZ	
END OF DATA			

Figure 3-2: Sample tableBASE update log report, with additions

```

DATE/TIME: 2003/11/04 10:44          TABLE BASE OPTIONAL REPORTS  PAGE:  3

TABLE BASE UPDATE LOG FOR TABLE TBL01  ON LIBRARY TESTLIB  USING FILE
DELETE

      ACTION          RECORD  FIRST 100 BYTES OF KEY
              SEQ
-----
DELETED              1  CCC
NOT DELETED         2  EEE
DELETED              3  NNN
DELETED              4  TTT
END OF DATA
*****

```

Figure 3-3: Sample tableBASE update log report, with deletions

Figure 3-4 shows a sample directory listing produced by TBEXEC for the tableBASE library TESTLIB, which is on the dataset SYS03309.T104402.RA000.DKLS04X.LIB. As shown, the library contains only the three generations of TBL01, and lists their creation date. The report indicates the number of blocks allocated to the library and how many remain for additional tables. By default, each block contains 3120 characters of information, which can be set to a different value when the library is defined.

Possible values for table type:

- blank Data table
- VIEW View

```

DATE/TIME: 2003/11/04 10:44          TABLE BASE OPTIONAL REPORTS  PAGE:  1

DIRECTORY LISTING FOR LIBRARY TESTLIB  ON DATASET SYS03309.T104402.RA000.DKLS04X.L

TABLE NAME  TABLE TYPE  GENERATION NO.  DATE CREATED  TIME CREATED

TBL01      3              1996/11/04     10:44
TBL01      2              1996/11/04     10:44
TBL01      1              1996/11/04     10:44

BLOCKS IN LIBRARY TESTLIB  : 00000026  BLOCKS REMAINING: 00000013

```

Figure 3-4: tableBASE directory listing

Figure 3-5 and Figure 3-6 on page 59 are samples that show the definition and contents of table TBL01.

Figure 3-5 is a summary report that identifies: table type, absolute generation number, date created (YYYY/MM/DD), and time created (HH:MM) for each table generation in the library.

DATE/TIME: 2003/11/04 10:44		TABLE BASE OPTIONAL REPORTS										PAGE: 1		
DEFINITION FOR TABLE TBL01		ON LIBRARY TESTLIB		ON DATASET SYS96309.T104402.RA000.DKLS04X.LIB										
GENERATION	DATE AND TIME	NUMBER OF ROWS		O M I S	SECURITY	ROW	KEY	KEY	EXP	----DENSITY-----			VW	
USERID	VIEW	PRESENT	ALLOCATED	R/E/N/M	SIZE	SIZE	LOC	FACTR	UPPER	LOWER	ACT	VS		
ABS	M A REL	CREATED												
NAME														
3	9 3 0	1996/11/04 10:44	10	13	S B T R	READ/WRITE	40	5	3	20.0%	80.0%	50.0%	N/A	DKLS04
2	9 3 -1	1996/11/04 10:44	10	50	S B T R	READ/WRITE	40	5	3	20.0%	80.0%	50.0%	N/A	DKLS04
1	9 3 -2	1996/11/04 10:44	0	50	S B T R	READ/WRITE	40	5	3	20.0%	80.0%	50.0%	N/A	DKLS04

Figure 3-5: Sample tableBASE table definition report

The following information is provided reading from left to right on the report:

- absolute generation number
- maximum number of generations
- number of generations currently on the library
- relative generation number
- creation date and time
- actual number of rows
- estimate number of rows for which space is allocated when loaded in the TSR
- table organization
- table search method
- True or Pointer table type
- storage mode code (obsolete)
- if read and write passwords have been used

Note: READ/WRITE indicates password security; it does not identify the type of password security (RO, R/W); NONE indicates no password security. (See example in [Figure 3-5](#))

- row size
- key length
- key location
- expansion factor
- upper density
- lower density
- actual density of Hash tables
- the version of the View (if this table is a View)
- the user id
- associated View name if specified

Note: Views are part of tablesONLINE, an optional tableBASE component.

Figure 3-6 shows the contents of one generation of a table in character format. It shows:

- the name of the table being printed TBL01
- the library where it resides.

The definition of the generation being printed is displayed in the same format described above.

```

DATE/TIME: 2003/11/04 10:44          TABLE BASE OPTIONAL REPORTS          PAGE: 1
DEFINITION FOR TABLE TBL01      ON LIBRARY TESTLIB  ON DATASET SYS96309.T104402.RA000.DKLS04X.LIB
GENERATION  DATE AND TIME          NUMBER OF ROWS  O M I S  SECURITY  ROW KEY  KEY EXP  ----DENSITY----- VW U
ABS M A REL      CREATED          PRESENT ALLOCATED R/E/N/M          SIZE SIZE  LOC FACTR UPPER LOWER  ACT VS
   3 9 3 0 1996/11/04 10:44          10          13 S B T R READ/WRITE  40  5    3 20.0% 80.0% 50.0%  N/A  D
CONTENTS OF TABLE TBL01      ON LIBRARY TESTLIB
ITEM NO.    LOCN      CONTENTS
   1         1      AAAAA ORIGINAL TEST DATA
   2         1      BBBBB NEW TEST DATA
   3         1      DDDDD ORIGINAL TEST DATA
   4         1      GGGGG NEW TEST DATA
   5         1      JJJJJ ORIGINAL TEST DATA
   6         1      MMMMM ORIGINAL TEST DATA
   7         1      OOOOO NEW TEST DATA
   8         1      RRRRR ORIGINAL TEST DATA
   9         1      YYYYY ORIGINAL TEST DATA
  10         1      ZZZZZ NEW TEST DATA

```

Figure 3-6: Sample tableBASE table contents report

For each line output, the location indicates the position within the row at which printing begins. It is possible for longer rows to require several lines to report.

Error and audit messages described

All error and audit messages generated by batch utility programs are identified and described in alphabetical order in [Appendix A](#) on page 89.

4

Table printing utility: TBPRINT (DK1TPTBL)

The Table Print Utility, TBPRINT (DK1TPTBL), is used to print formatted columnar listings using the formatting information contained in Views, used by tablesONLINE/CICS and tablesONLINE/ISPF. The utility differs from the TBEXEC PRINT command which is intended to supply whole or partial table dumps both in character and hexadecimal formats.

This chapter describes TBPRINT input parameters, shows a variety of printed examples, and ends with an example of TBPRINT execution in JCL.

This utility has free-format input using keywords that invoke print functions. Some keywords may be followed by one or more values; others invoke print functions by themselves. The general format is:

```
PRINT KEYWORD value[,value] . . . KEYWORD;
```

The keywords may be entered in any sequence. Should keywords be repeated in the same PRINT statement, the last occurrence of the keyword will be used. The semicolon is a terminating character for the PRINT statement. Many PRINT requests may be entered in the same input.

Note: Views are a function of tablesONLINE, an optional tableBASE component.

Completion codes

Completion codes listed in [Table 4-1](#) are set to indicate whether problems were encountered.

Table 4-1: Completion codes

Completion code	Description
0	All PRINT commands were successfully processed.
4	A warning was issued in conjunction with one or more PRINT commands, but printing was able to be performed.
16	One or more errors were encountered which prevented the printing of a table. Warnings may also have been issued.

Keyword parameters

Input parameters for TBPRINT can be one of two forms:

- keywords with assigned values
- keywords without assigned values

Keywords with assigned values

The delimiters listed in [Table 4-2](#) can be used to separate multiple values for a keyword:

Table 4-2: Delimiters

Delimiter	Shown as
comma	,
blank	
left parenthesis	(
right parenthesis)
equal sign	=
double quotes	"

Using equal signs to separate the keyword and values, and commas to separate values, lead to a readable code style—used in the examples that follow.

```
KEYWORD value[,value]... ;
```

LIB

Specify the libraries to be searched for a table. Between 1-10 library names consisting of up to 8 characters each are allowed. If the keyword is omitted, searching is restricted to MAINLIB.

Example: LIB=TESTLIB1,TESTLIB2

Note: DK1TPTBL does not use LIBnn specified in TBOPT

TABLE

Indicate which tables are to be printed. Table name(s) from 1-8 characters are allowed.

Example: TABLE=CODE1,CODE2,CODE3

PASSWORD

Supply a 1-8 character read password, if the table has one. If the keyword is omitted, the table(s) are assumed to have no password protection.

Example: PASSWORD=SECRET

Note: Separate PRINT statements are required if the Data Tables specified in the TABLE keyword have different read passwords.

GEN

Supply a number ranging between -8 and 255 representing the relative or absolute generation number of the table(s) being printed. The default is zero, referring to the current generation.

Example: GEN=-1

Separate PRINT statements must be used if more than one generation number is to be printed.

Examples:

```
PRINT TABLE=CODE1 GEN=-2;
```

```
PRINT TABLE=CODE1 GEN=-1;
```

```
PRINT TABLE=CODE1;
```

USING

Specify a 1-8 character View name to be used. The default is the same name as the table being printed.

Example: PRINT TABLE=CODE1,CODE2,CODE3 USING=CODE;

TITLE

Supply a 1-50 character title, enclosed in double quotes, or, supply a 1-50 character title with spaces filled with hyphen characters (-) or underscore characters (_), which are then replaced by blanks in TBPRINT. The title will be centered on the report page.

Example:

```
PRINT
TABLE=CODE1
TITLE=CODE_TABLE;
PRINT
TABLE=CODE2
TITLE="PAY CODE TABLE";
```

ROWIDCOUNT

To identify the fields that overflow onto a second or subsequent page, the ROWIDCOUNT value is used to specify the number of fields to be reprinted on the left side of the second page containing the overflow field columns that do not fit on page one.

ROWIDCOUNT is normally used to re-display the row keys on the overflow pages. See the formatting example in the next section.

The default is zero, indicating that no fields are to be repeated.

Example: PRINT TABLE=CODE1 ROWIDCOUNT=2;

LINESPERPAGE

Specify the maximum number of lines to be printed on a page before a page break. The default is 60.

Example: PRINT TABLE=CODE1 LINESPERPAGE=9999;

PAGEWIDTH

Specify the maximum number of characters to be printed per line.

Do not include the carriage control character in the PAGEWIDTH. The default and the maximum are both 132.

Note: Currently in Version 6, the limit of PAGEWIDTH=131 needs to be specified to display the Display Count correctly.

Example: PRINT TABLE=CODE1 PAGEWIDTH=131;

FIELDS

Supply the field name(s) to be selected from the View for printing. The default is to print all fields. Use double quotes to enclose field names that contain embedded blanks.

Examples:

```
FIELDS=FIRST,  
SECOND,  
"NEW CODE",  
"OLD CODE"
```

Field names can be selected using wildcards by placing an asterisk (*) after the significant characters of the field name. All fields beginning with the significant characters will be printed. Placing an asterisk only results in the selection all fields.

To print all fields beginning with D, for example:

```
FIELDS=D*
```

To print all fields and two again:

```
FIELDS=*,KEY1,KEY2
```

The first occurrence of a generic field name can be printed by using an exclamation mark (!) after the significant character(s). To select a number of occurrences, repeat the significant character(s) and the exclamation character a number of times.

To print the first two fields beginning with D, for example:

```
FIELDS=D!,D!
```

Note: All fields in a View with ATTRIBUTE=SUPPRESS may be printed only if they are explicitly named or by generic selection.

STARTREC

Specify the row in a Data Table from which reporting is to begin.

STARTKEY

Specify the key in a Data Table from which reporting is to begin. If the key is not found in an ordered table (either ascending or descending order), reporting will begin with the row with the next higher (ascending) or lower (descending) key.

RECCOUNT

Specify the number of rows to print. If neither STARTREC nor STARTKEY is specified, reporting will begin at the first row of the table.

Keywords without assigned values

Keyword ;

FORMAT

Signals that format overrides follow. The overrides are listed in [Table 4-3](#). The FORMAT label is optional. It serves only to make the PRINT command specification more readable. Choose one option for each format override function.

Table 4-3: Format Overrides

Function	Options	Description
Title and column headings	HEADINGS	Title and column headings. This is the default.
	NOHEADINGS	Neither title nor column headings
	TITLESONLY	Only title headings
	COLUMNHEADONLY	Only column headings
Handling of long data columns	VERTICAL	Data columns that cannot fit on one page start after the entire table is printed. This is the default.
	HORIZONTAL	Data columns that cannot fit on one page start on the next page.
	TRUNCATE	Data columns that cannot fit on one page are truncated.
Handling of long fields	COLUMNSPLITON	For long fields, truncate last field on a page if necessary.
	COLUMNSPLITOFF	For long fields, maintain complete field. This is the default.

Table 4-3: Format Overrides

Handling of row count display	DISPLAYCOUNTON	Use last five columns of report for displaying a row count number. This is the default. Currently in Version 6, the limit of PAGEWIDTH=131 needs to be specified to display the Display Count correctly.
	DISPLAYCOUNTOFF	Use to suppress the display of Display Count and allow full page for printing.

Formatted print examples

To illustrate formatting, consider the situation where all fields of a table being printed do not fit on the page. The page size is controlled by the PAGEWIDTH keyword.

```

PAGE 1
  F1      F2      TITLE
          F3      F4      F5
-----
AAAAAA  xxxxxxx  xxxxxxxxxxxxxx  xxxxxxxxxxxxxx  xxxxxxx
BBBBBB  xxxxxxx  xxxxxxxxxxxxxx  xxxxxxxxxxxxxx  xxxxxxx
CCCCCC  xxxxxxx  xxxxxxxxxxxxxx  xxxxxxxxxxxxxx  xxxxxxx
DDDDDD  xxxxxxx  xxxxxxxxxxxxxx  xxxxxxxxxxxxxx  xxxxxxx
EEEEEE  xxxxxxx  xxxxxxxxxxxxxx  xxxxxxxxxxxxxx  xxxxxxx

```

```

PAGE 2
  F1      F2      TITLE
          F3      F4      F5
-----
FFFFFF  xxxxxxx  xxxxxxxxxxxxxx  xxxxxxxxxxxxxx  xxxxxxx
GGGGGG  xxxxxxx  xxxxxxxxxxxxxx  xxxxxxxxxxxxxx  xxxxxxx
HHHHHH  xxxxxxx  xxxxxxxxxxxxxx  xxxxxxxxxxxxxx  xxxxxxx
IIIIII  xxxxxxx  xxxxxxxxxxxxxx  xxxxxxxxxxxxxx  xxxxxxx

```

Print table using defaults

```
PRINT TABLE=EXAMPLE;
```

The defaults are VERTICAL, COLUMNSPLITOFF.

```
PAGE 1          TITLE
   F1          F2          F3
-----
AAAAAA xxxxxxx xxxxxxxxxxxxxxx
BBBBBB xxxxxxx xxxxxxxxxxxxxxx
CCCCCC xxxxxxx xxxxxxxxxxxxxxx
DDDDDD xxxxxxx xxxxxxxxxxxxxxx
EEEEEE xxxxxxx xxxxxxxxxxxxxxx
```

```
PAGE 2          TITLE
   F1          F2          F3
-----
FFFFFF xxxxxxx xxxxxxxxxxxxxxx
GGGGGG xxxxxxx xxxxxxxxxxxxxxx
HHHHHH xxxxxxx xxxxxxxxxxxxxxx
IIIIII xxxxxxx xxxxxxxxxxxxxxx
```

```
PAGE 1          TITLE
   F4          F5
-----
xxxxxxxxxxxx xxxxxxx
xxxxxxxxxxxx xxxxxxx
xxxxxxxxxxxx xxxxxxx
xxxxxxxxxxxx xxxxxxx
xxxxxxxxxxxx xxxxxxx
```

```
PAGE 2          TITLE
   F4          F5
-----
xxxxxxxxxxxx xxxxxxx
xxxxxxxxxxxx xxxxxxx
xxxxxxxxxxxx xxxxxxx
xxxxxxxxxxxx xxxxxxx
```

Print with row identification

```
PRINT TABLE=EXAMPLE ROWIDCOUNT=1;
```

The defaults remain VERTICAL and COLUMNSPLITOFF, however F1 is repeated for identification.

```
PAGE 1          TITLE
  F1           F2           F3
-----
AAAAAA xxxxxxx xxxxxxxxxxxxxxxx
BBBBBB xxxxxxx xxxxxxxxxxxxxxxx
CCCCCC xxxxxxx xxxxxxxxxxxxxxxx
DDDDDD xxxxxxx xxxxxxxxxxxxxxxx
EEEEEE xxxxxxx xxxxxxxxxxxxxxxx
```

```
PAGE 2          TITLE
  F1           F2           F3
-----
FFFFFF xxxxxxx xxxxxxxxxxxxxxxx
GGGGGG xxxxxxx xxxxxxxxxxxxxxxx
HHHHHH xxxxxxx xxxxxxxxxxxxxxxx
IIIIII xxxxxxx xxxxxxxxxxxxxxxx
```

```
PAGE 1          TITLE
  F1           F4           F5
-----
AAAAAA xxxxxxxxxxxxxxx xxxxxxx
BBBBBB xxxxxxxxxxxxxxx xxxxxxx
CCCCCC xxxxxxxxxxxxxxx xxxxxxx
DDDDDD xxxxxxxxxxxxxxx xxxxxxx
EEEEEE xxxxxxxxxxxxxxx xxxxxxx
```

```
PAGE 2          TITLE
  F1           F4           F5
-----
FFFFFF xxxxxxxxxxxxxxx xxxxxxx
GGGGGG xxxxxxxxxxxxxxx xxxxxxx
HHHHHH xxxxxxxxxxxxxxx xxxxxxx
IIIIII xxxxxxxxxxxxxxx xxxxxxx
```

Print with row truncation

```
PRINT TABLE=EXAMPLE TRUNCATE;
```

The COLUMNSPLITOFF default prevents the last field from being split.

```
PAGE 1          TITLE
   F1          F2          F3
-----
AAAAAA  xxxxxxxxxxxxxxxxxxxxxx
BBBBBB  xxxxxxxxxxxxxxxxxxxxxx
CCCCCC  xxxxxxxxxxxxxxxxxxxxxx
DDDDDD  xxxxxxxxxxxxxxxxxxxxxx
EEEEEE  xxxxxxxxxxxxxxxxxxxxxx
```

```
PAGE 2          TITLE
   F1          F2          F3
-----
FFFFFF  xxxxxxxxxxxxxxxxxxxxxx
GGGGGG  xxxxxxxxxxxxxxxxxxxxxx
HHHHHH  xxxxxxxxxxxxxxxxxxxxxx
IIIIII  xxxxxxxxxxxxxxxxxxxxxx
```

```
PRINT TABLE=EXAMPLE TRUNCATE COLUMNSPLITON;
```

Fills the page.

```
PAGE 1          TITLE
   F1          F2          F3          F4
-----
AAAAAA  xxxxxxxxxxxxxxxxxxxxxx  xxx
BBBBBB  xxxxxxxxxxxxxxxxxxxxxx  xxx
CCCCCC  xxxxxxxxxxxxxxxxxxxxxx  xxx
DDDDDD  xxxxxxxxxxxxxxxxxxxxxx  xxx
EEEEEE  xxxxxxxxxxxxxxxxxxxxxx  xxx
```

```
PAGE 2          TITLE
   F1          F2          F3          F4
-----
FFFFFF  xxxxxxxxxxxxxxxxxxxxxx  xxx
GGGGGG  xxxxxxxxxxxxxxxxxxxxxx  xxx
HHHHHH  xxxxxxxxxxxxxxxxxxxxxx  xxx
IIIIII  xxxxxxxxxxxxxxxxxxxxxx  xxx
```

Print with rows continuing on next page

```
PRINT TABLE=EXAMPLE HORIZONTAL ROWIDCOUNT=1;
```

F1 is repeated for identification.

```
PAGE 1          TITLE
  F1          F2          F3
-----
AAAAAA  xxxxxxxxxxxxxxxxxxxx
BBBBBB  xxxxxxxxxxxxxxxxxxxx
CCCCCC  xxxxxxxxxxxxxxxxxxxx
DDDDDD  xxxxxxxxxxxxxxxxxxxx
EEEEEE  xxxxxxxxxxxxxxxxxxxx
```

```
PAGE 1          TITLE
  F1          F4          F5
-----
AAAAAA  xxxxxxxxxxxx  xxxxxx
BBBBBB  xxxxxxxxxxxx  xxxxxx
CCCCCC  xxxxxxxxxxxx  xxxxxx
DDDDDD  xxxxxxxxxxxx  xxxxxx
EEEEEE  xxxxxxxxxxxx  xxxxxx
```

```
PAGE 2          TITLE
  F1          F2          F3
-----
FFFFFF  xxxxxx  xxxxxxxxxxxx
GGGGGG  xxxxxx  xxxxxxxxxxxx
HHHHHH  xxxxxx  xxxxxxxxxxxx
IIIIII  xxxxxx  xxxxxxxxxxxx
```

```
PAGE 2          TITLE
  F1          F4          F5
-----
FFFFFF  xxxxxxxxxxxx  xxxxxx
GGGGGG  xxxxxxxxxxxx  xxxxxx
HHHHHH  xxxxxxxxxxxx  xxxxxx
IIIIII  xxxxxxxxxxxx  xxxxxx
```

JCL

Here is an example of an execution of TBPRINT:

```
//STEP1 EXEC PGM=TBPRINT
//STEPLIB DD DISP=SHR,DSN=*YOUR.PREFIX*.TBASE.LOAD
//*
//TBDUMP DD SYSOUT=*
//TBLOG DD SYSOUT=*
//TBREPORT DD SYSOUT=*
//*
//MAINLIB DD DISP=SHR,DSN=*YOUR.PREFIX*.TBASE.MAINLIB
//ABCXYZ DD DISP=SHR,DSN=*YOUR.PREFIX*.TBASE.ABCXYZ
//*
/* This is sample input.
/*
//TBSYSIN DD *
PRINT TABLE=CODE1 LIB=MAINLIB;
PRINT TABLE=CODE2 LIB=ABCXYZ GEN=-1 FORMAT HORIZONTAL;
/*
```

5

View printing utility: TBDEFPR (DK1TVWPR)

TBDEFPR (DK1TVWPR) allows users to selectively PRINT table definitions and Views. This documentation describes the batch operation of the utility. TBDEFPR can also be invoked from a panel under tablesONLINE/ISPF.

The View is multipurpose. It is used in both the ISPF and CICS versions of the optional tablesONLINE application. The utility program TBPRINT also uses the View.

Input

Control statements are input from a file with the DDNAME COMMAND. The syntax is described below.

Output

Reports and error messages (if any) are output to a file with a DDNAME of TBRPT.

General syntax rules for input

Each Keyword is separated from its value(s) by an equal sign (=).

Each keyword-value combination must be followed by at least one blank or a comma.

Keyword-value combinations may appear in any order.

An Input Sequence is a group of keyword-value combinations that identify printing of tables from a library.

Each Input Sequence must start on a new line and be terminated by a semicolon (;). Anything following a semicolon on a line is ignored.

Multiple Input Sequences may be input one after the other. One Input Sequence will be processed at a time.

Within an Input Sequence some of the keywords are mutually exclusive with another keyword. Both cannot be used in the same Input Sequence.

Keyword parameters

Each keyword is described in detail below:

Keyword=value [,value]...;

FROMDDN

FROMDDN identifies the DDNAME of the tableBASE library that contains the tables to be printed. A JCL statement must be included. Either the FROMDDN or FROMDSN keyword must be defined.

Example: FROMDDN=MAINLIB;

FROMDSN

Identifies the Dataset Name of the tableBASE library that contains the tables to be printed. The JCL statement does not have to be included as a dynamic allocation will be done. Either the FROMDDN or FROMDSN keyword must be defined.

Example: FROMDSN=YOUR.PREFIX.TBASE.MAINLIB;

SEQ

View rows will be printed in sequence by their position in view by default. If the optional parameter SEQ=Y is specified, the View rows will be sequenced by field name.

Example: FROMDDN=MAINLIB FDTTYPE=CICS SEQ=Y;

SELECT

An optional parameter used to select a list of tables. To print all Views use the notation SELECT=ALL.

The table names of the Views to be printed are enclosed in parentheses in uppercase characters. A SELECT sequence cannot be continued over two lines. Multiple SELECT keywords can be input if all the table names to be selected for printing will not fit on a single line. Table names in parentheses can be separated by commas or spaces.

Example:

```
FROMDDN=TBLIB1 SELECT=ALL ;  
FROMDDN=TBLIB2 FDTTYPE=CICS SELECT=CODE1;  
FROMDDN=TBLIB3 SEQ=Y  
SELECT=(CODE1, CODE2, CODE3) ;
```

Note: The keywords SELECT and EXCLUDE are mutually exclusive.

EXCLUDE

An optional parameter used to exclude a list of tables. All other Views will be printed. The syntax rules for EXCLUDE are the same as those for SELECT.

Example:

```
FROMDDN=TBLIB1  
EXCLUDE=(CODE1, CODE2);
```

Note: The keywords SELECT and EXCLUDE are mutually exclusive.

PASSWORD

Required only if the tables to be printed are protected with read passwords. The password supplied is used for all tables to be printed.

Examples:

```
FROMDDN=MAINLIB  
PASSWORD=SECRET  
SELECT=(CODE1, CODE2) ;
```

```
FROMDDN=MAINLIB  
PASSWORD=FORGET  
SELECT=CODE3 ;
```

JCL

Here is an example of an execution of TBDEFPRF that prints the contents of LIB1, LIB2, and LIB3.

```
/* INSERT YOUR JOB CARD HERE
/*
/* THIS PROGRAM FORMATS AND PRINTS TABLESONLINE VIEWS
/* (REFER TO THE BATCH UTILITIES MANUAL UNDER "TBDEFPRF")
/*
/* CHANGE DSNAMES AS NEEDED <===
/*
/*STEP1 EXEC PGM=DK1TVWPR
/*STEPLIB DD DISP=SHR,DSN=*YOUR.PREFIX*.TBASE.LOAD <=====
/*SYSOUT DD SYSOUT=*
/*SYSPRINT DD SYSOUT=*
/*TBDUMP DD SYSOUT=*
/*TBRPT DD SYSOUT=*
/*SORTMSGs DD SYSOUT=*
/*SORTWK01 DD UNIT=SYSDA,SPACE=(CYL,(5,1))
/*SORTWK02 DD UNIT=SYSDA,SPACE=(CYL,(5,1))
/*SORTWK03 DD UNIT=SYSDA,SPACE=(CYL,(5,1))
/*LIB1 DD DISP=SHR,DSN=*YOUR.PREFIX*.LIB1 <===
/*LIB2 DD DISP=SHR,DSN=*YOUR.PREFIX*.LIB2
/*LIB3 DD DISP=SHR,DSN=*YOUR.PREFIX*.LIB3
/*COMMAND DD *
FROMDDN=LIB1;
FROMDDN=LIB2;
FROMDDN=LIB3;
/*
```

Figure 5-1: Sample JCL

6

Generating data definitions: TBCOBF and DK1TCSTR

This chapter describes two programs; TBCOBF(DK1TPTBL), that generates COBOL copybooks and DK1TCSTR that generates C/C++ structures.

The View is multipurpose. It is used in both the ISPF and CICS versions of the optional tablesONLINE application.

Generating COBOL copybooks

The utility program, TBCOBF (DK1TCOBF), generates COBOL copybooks and, optionally, the tableBASE COMMAND-AREA from Views that describe table row layouts.

Coding conventions

The table ROW-AREA and the tableBASE COMMAND-AREA are generated at the 01 level. Individual fields within these areas are generated as 05 levels.

Generated field names are prefixed by the tableBASE View name, unless the field prefix parameter is used. Embedded blanks are replaced by hyphens to ensure that the generated field names are valid COBOL words. The tableBASE Data Table name is placed in positions 73-80 of each line generated.

DATE fields are divided into subfields (year, month, day). These subfields are defined at level 10; a suffix is appended to each subfield to uniquely identify it. For example, an A format DATE field (YYMMDD) is redefined with three level-10 fields suffixed with: -YY, -MM and -DD.

If the DATE field name is longer than 16 characters, it is truncated to 16 characters to accommodate the suffixes in the generated level-10 subfields. (COBOL field names are limited to 30 characters in length.)

Using TBCOBF

Select the View for which a COBOL copybook is to be generated using the PARM field of the JCL used to invoke the program. The PARM field is also used to define a prefix to apply to generated COBOL data names and to generate a tableBASE COMMAND-AREA. An example of the specification of these parameters is shown below.

```
//STEP1 EXEC PGM=TBCOBF,REGION=256K,PARM='view, fldprfx, Y'
```

The parameters are positional. The first parameter, VIEW, must be defined. The parameters have the following meanings:

VIEW

This first parameter defines the name of the View for which a COBOL copybook is to be generated.

FIELD PREFIX

This second parameter is used to alter the field names of the generated copy books. If this parameter is not specified, the generated field names will be prefixed by the name of the View selected; otherwise, they will be prefixed by the value specified for this parameter. This parameter has a maximum length of eight characters.

COMMAND AREA

The third parameter controls the generation of the tableBASE COMMAND-AREA. It may have either of two values:

- Y, to generate the tableBASE COMMAND-AREA for this View. Y is the default.
- N, to avoid the generation of the tableBASE COMMAND-AREA for this View.

The COMMAND-AREA will be generated as a level 01 item immediately following the table ROW-AREA.

The JCL example on the following page will generate a copybook for the PAYROLL View. The generated field names will begin with the characters HR. A tableBASE COMMAND-AREA will be generated. The View is read from MAINLIB. The View is written to the DSN assigned to CBLOUT. TBCOBF always returns a condition code of zero.

JCL

```
//STEP1 EXEC PGM=TBCOBF,REGION=256K,PARM='PAYROLL,HR,Y'
//STEPLIB DD DISP=SHR,DSN=*YOUR.PREFIX*.TBASE.LOAD
//TBDUMP DD SYSOUT=*
//SYSOUT DD SYSOUT=*
//CBLOUT DD DSN=*YOUR.PREFIX*.COBOL.COPYLIB(MEMBER),DISP=SHR
//MAINLIB DD DSN=*YOUR.PREFIX*.TBASE.LIBRARY,DISP=SHR
/*
```

Generating C/C++ structures

The utility program, DK1TCSTR, generates C/C++ structures from Views that describe table row layouts.

Using DK1TCSTR

Select the View for which a C/C++ structure is to be generated using the PARM field of the JCL used to invoke the program. The PARM field is also used to define a structure name. An example of the specification of these parameters is shown below.

```
//STEP1 EXEC PGM=DK1TCSTR,PARM='view,struct_name'
```

The parameters are positional. The first parameter, VIEW, must be defined. The parameters have the following meanings:

VIEW

This first parameter defines the name of the View for which a C/C++ structure is to be generated.

STRUCT_NAME

This second parameter becomes the name of the generated structure. This parameter has a maximum length of 25 characters.

JCL

```
//STEP1 EXEC PGM=DK1TCSTR,PARM='PRIKEY,EXAMPLE_STRUCT'
//STEPLIB DD DISP=SHR,DSN=*YOUR.PREFIX*.TBASE.LOAD
//TBDUMP DD SYSOUT=*
//SYSOUT DD SYSOUT=*
//SYSPRINT DD *
//CBLOUT DD DSN=*YOUR.PREFIX*.CSTRUCT.LIBRARY(MEMBER),DISP=SHR
//MAINLIB DD DSN=*YOUR.PREFIX*.TBASE.LIBRARY,DISP=SHR
/*
```


7

Table comparison utility: TBCOMP (DK1TCOMP)

Comparing tables with TBCOMP

The tableBASE Comparison (TBCOMP) program compares tables and identifies any differences for review. Tables are considered unequal if their definitions are significantly different or if any of the rows do not match.

Note: TBCOMP is used extensively to upgrade to a new release of tablesONLINE.

Not all items in a table definition are compared. The following items are compared:

- SEARCH-METHOD
- ORGANIZATION
- INDEX
- STORAGE-MODE
- ROW-SIZE
- KEY-LOCATION
- KEY-SIZE
- EXPANSION-FACTOR
- LOW-DENSITY
- HIGH-DENSITY
- table contents

Rows are considered unequal if any part of the row does not match.

The TBCOMP program is driven by statements contained in a card image input file. Two input lines are required to specify each pair of tables to be compared. Each table is defined on a separate input statement, as listed in [Table 7-1](#). The fields on each input statement must be given in a specific order with each field separated by one or more blanks or a comma.

Table 7-1: Input statement

Field	Description/comments
Command	Command may be COMPARE or CM
Comments	Comments follow an asterisk (*) in column 1
Table	New or old table to be compared
Library DDNAME	DDNAME of library where table resides
Read password	Read password of table, if any
Generation	Generation of table
View	View containing formatting information for table
Unload DDNAME	DDNAME defining a flat file where the difference table(s) is to be unloaded

The Command must start in column 1. An asterisk (*) in column 1 indicates a comment. TBCOMP ignores comment lines. The mandatory fields in each statement are:

- Command
- Table
- Library DDNAME

The Unload DDNAME must reference a sequential file or member of a PDS.

TBCOMP analyzes the differences between tables by treating the first table as the new table and the second table as the old table. It generates the differences required for making the changes to the second table, to be identical to the first.

TBL01	TBL02
A	B
B	C
D	G

DIFFERENCES

UPDATE	DELETE
A	C
D	G

From the example above, you can see that when you first apply the DELETE set to TBL02, followed by the UPDATE set also to TBL02, you will have the identical contents as TBL01.

TBCOMP can report the differences in any of three formats:

- two printed reports
- two flat files
- two difference tables

TBCOMP does not change any of the tables that it analyzes. Tables are changed by:

- inspecting the printed report and editing tables manually
- using the unload files as input to TBEXEC
- writing your own program to read the difference tables or the unload files

Using the printed reports allows for the inspection of each change to ensure that it is correct for the system.

Using the unload files is the simplest method to apply changes to a table. This is described in the next section.

The rows in difference tables are identical in format to the rows in the unload files except that they are stored in tableBASE libraries.

A report is always printed containing the results of each comparison, which is summarized on one line showing table and library names, generation numbers, result code for the comparison, and a brief description, as listed in [Table 7-2](#).

Table 7-2: Result codes

Result code	Meaning
0	Contents and definitions match
37	Definitions do not match (a list of mismatched definition fields is given)
100	Definitions match but contents differ
n	Other values are error codes from tableBASE—for example, invalid password

TBCOMP will issue one of the return codes listed in [Table 7-3](#).

Table 7-3: Return codes

Return code	Meaning
0000	All pairs of tables are the same (with the possible exception of some acceptable parts of the definition)
0008	The contents or definitions of at least one pair differ

Sample tables comparison job with JCL follows:

```

/*Insert your job card here
//
*****
*****
/*      '<===== ' identifies JCL cards to be modified for your installation
/*
//STEP1 EXEC PGM=TBCOMP, PARM=' P, S, UPDT, DELE, 123456, N'
//STEPLIB DD DISP=SHR, DSN=*YOUR.TBASE.LOADLIB*          <=====
//*
//NEWLIB1 DD DISP=SHR, DSN=*YOUR.TBASE.LIBRARY1.NEW*      <=====
//OLDLIB1 DD DISP=SHR, DSN=*YOUR.TBASE.LIBRARY1.OLD*      <=====
//NEWLIB2 DD DISP=SHR, DSN=*YOUR.TBASE.LIBRARY2.NEW*      <=====
//OLDLIB2 DD DISP=SHR, DSN=*YOUR.TBASE.LIBRARY2.OLD*      <=====
//TBSYSLB DD DISP=SHR, DSN=*YOUR.TBASE.SYSTEM.LIBRARY*    <=====
//UPDTBL1 DD DISP=SHR, DSN=*YOUR.PDS (MEMBER1) *          <=====
//DELETBL1 DD DISP=SHR, DSN=*YOUR.PDS (MEMBER2) *         <=====
//TBCMPRPT DD SYSOUT=*
//TBCMPLST DD SYSOUT=*
//TBREPORT DD SYSOUT=*
//TBLOG DD SYSOUT=*
//SYSOUT DD SYSOUT=*
//TBDUMP DD SYSOUT=*
//TBCMPCMD DD *
*CMD, TBL1, LIB1, PSWD1, GEN1, VIEW1, UPDTDD
*CMD, TBL2, LIB2, PSWD2, GEN2, VIEW2, DELEDD
* EXAMPLE 1
COMPARE, TABLE1, NEWLIB1, RPSWD1, 0, VIEW1, UPDTTBL1
CM, TABLE1, OLDLIB1, RPSWD2, -1, VIEW2, DELETBL1
* EXAMPLE 2
CM, TABLE2, NEWLIB1
CM, TABLE3, OLDLIB1
* EXAMPLE 3
CM, TABLE4, NEWLIB2, ,, VIEW5
CM, TABLE4, OLDLIB2, ,, VIEW6
/*

```

The EXEC card PARM values are:

- P is a flag indicating whether to print the differences (value P or Y) or not (leave empty). This is optional. The default is to not print differences.
- S is a flag indicating whether to create difference tables (value S or Y) or not (leave empty). This is optional. The default is to not create the difference tables.

- UPDT and DELE are prefixes for difference table names when difference tables are to be created. TBCOMP will build the names of the difference tables by appending as many of the last non-blank characters in the names of the tables being compared as possible to these prefixes. (Table names may not exceed eight characters). This is optional. The defaults are UPDT and DELE. For example, if you coded U2 and D3 for UPDT and DELE respectively and the name of both tables being compared is TABLE123, the DELETE difference table name would be named D3BLE123 and the UPDATE table would be named U2BLE123.
- nnnnnn is the master password. This is optional. There is no default.
- N is a flag indicating that the data content comparison is not case sensitive. Uppercase or lowercase is ignored in the test for equality. The default value is Y. The comparison is case sensitive.

The file specified by TBCMPRPT contains a summary of the differences found.

The COMPARE command provides for the optional parameter to specify a View which contains the formatting information for this table. If you do not specify this View name, the list of differing rows will be contained in the file specified by TBCMPLST. If the View name is specified, the file specified by TBREPORT will contain the list of differing rows and the file specified by TBLOG will contain a summary of the tables.

The sample job compares three pairs of tables.

- Example 1 compares specific generations of TABLE1. Any differences will be printed using the formatting information in the corresponding Views. The read passwords in this case are redundant since the master password is supplied on the EXEC card. The difference tables are unloaded to members of *YOUR.PDS*. Difference tables UPDTBLE1 and DELEBLE1 will be stored on NEWLIB1.
- Example 2 compares the latest generation of TABLE2 and TABLE3. The master password will be used to open the tables if they are read-protected. Any differences will be printed without formatting. Difference tables UPDTBLE2 and DELEBLE3 will be stored on NEWLIB1. The difference tables are not unloaded to unload files.
- Example 3 compares the latest generations of TABLE4. The master password will be used to open the tables if they are read-protected. Any differences will be printed using the formatting information in the corresponding Views. Difference tables UPDTBLE4 and DELEBLE4 will be stored on NEWLIB2. The difference tables are not unloaded to unload files.

Using difference files with TBEXEC

TBCOMP analyzes the differences between tables by treating the first table as the new table and the second table as the old table. The two difference files that are generated when applied to the old table cause it to be identical to the new table. This is not the only way to apply the differences files, however the example below demonstrates how to update the old to bring it up to the new.

The first unload file contains rows which should be deleted from the second target table. The second unload file contains rows which should be inserted/replaced in the second target table. If rows with identical keys but different contents outside the keys are found in both the new and the old tables, then records will be created in both the first and second unload file. Therefore, deletes must be applied before updates. Please see the following example:

```
//UPDTE EXEC PGM=TBEXEC
//STEPLIB DD DISP=SHR,DSN=*YOUR.TBASE.LOAD.LIB*
//NEWLIB1 DD DISP=SHR,DSN=*YOUR.TBASE50.LIBRARY1* <====
//TBSYSLIB DD DISP=SHR,DSN=*YOUR.TBASE.SYSTEM.LIBRARY* <====
//UPDTTBL1 DD DISP=SHR,DSN=*YOUR.PDS(MEMBER1)* <====
//DELETBL1 DD DISP=SHR,DSN=*YOUR.PDS(MEMBER2)* <====
//TBMSG DD SYSOUT=*
//TBRPT DD SYSOUT=*
//SYSOUT DD SYSOUT=*
//TBDUMP DD SYSOUT=*
//CNTLCARD DD *
    UPDATE LIB=NEWLIB1 TBL=TABLE1 REMOVE=DELETBL1;
    UPDATE LIB=NEWLIB1 TBL=TABLE1 WITH=UPDTTBL1;
//
```

8

Library conversion utilities

Two new utilities DK1TCNV and DK1TLCHK were delivered with tableBASE 6.0.2 and Library Bridge (tableBASE 5.B).

The Library Conversion Utility, DK1TCNV, is used to convert tableBASE libraries between Version 5 (V5), Library Bridge (Bridge), Version 6 Transition (V6TRANS), and Version 6 (V6).

The Library Version Identification utility, DK1TLCHK, is used to identify the version of a tableBASE library.

For more information please consult the "Converting tableBASE libraries" in the Appendix of the *tableBASE Installation Guide* or the Library Bridge documentation.

Appendix A - Messages

Messages

This appendix contains DataKinetics tableBASE error codes and messages that can be encountered during the normal installation, administration and operation of the product. The error codes and messages fall into the following categories:

TBEXEC error messages—conditions that may be encountered while running tableBASE in conjunction with the TBEXEC batch utility program (see [“TBEXEC error messages”](#) on page 90).

tableBASE messages—conditions that may be encountered while running tableBASE in conjunction with the tableBASE VTS agent, CICS, batch, IMS, and other programs/utilities (see [“tableBASE messages”](#) on page 95).

Other messages—conditions that may be encountered while tableBASE performs user initiated activities (see [“TBEXEC and library conversion messages”](#) on page 105).

Note: If you have licensed the DataKinetics VTS Manager product, see the *VTS Manager Administration Guide* for messages that may be encountered while running VTS Manager.

TBEXEC error messages

Error and audit messages generated by the batch utility program TBEXEC are identified and described in alphabetical order in the following table.

Table A-1: tableBASE batch utility messages

Message	Text	Meaning/Instructions
Change definition failed	The attempt to change the definition of the table has failed for the reasons noted above the message.	
Change is not for Alternate Index	The CHANGE ALT= command specified a table that is not an Alternate Index. Use the CHANGE TBL= version of the command.	
Change key size/location failed	The attempt to change the key size and/or key location has failed for reasons noted in preceding messages or to the right of this message.	
Change maxgen failed	The attempt to change the number of generations to be kept has failed for reasons noted in preceding messages or to the right of this message.	
Change not made for reasons above	None of the changes in the above change were performed. The reason for the rejection of this command is noted above the message.	
Change successful	The table definition has been changed as requested.	Information only.
CMD requires specified table to be open	This command requires the specified table to be open. This error should not occur when using TBEXEC.	
Command is invalid	The specified command is not a TBEXEC command.	
Command is invalid for an Alternate Index	The command cannot be performed on an Alternate Index.	
Command rejected for reason above	The preceding TBEXEC Command was rejected for the reasons noted above the message.	
Command requires more parms than given	TBEXEC called tableBASE incorrectly.	
Copy complete	The requested operation completed successfully.	
Copy complete except where indicated	The requested copy operation was successfully completed except as noted above the message.	
Copy failed	The requested operation failed. Diagnostic messages are issued to give the reason(s) for the failure.	
Copy of table (all generations) complete	The requested copy operation of all generations of a table was successfully completed.	
Create Alternate Index definition failed	The attempt to create an Alternate Index definition failed for the reasons noted in preceding messages or to the right of this message.	
Create Alternate Index definition successful	The Alternate Index definition has been created successfully.	Information only.
Data table index must be defined as P	TBEXEC attempted to invoke an Alternate Index of a table that is not defined to be type P (indexed or pointer).	
Defaults have been set	The defaults entered have been set.	
DEFINE TEMPORARY TABLE FAILED	Internal error defining temporary table for <filename>.	Please increase TSR size and rerun.
Delete failed	The requested delete operation has failed for reasons noted in preceding messages or to the right of this message.	
Delimiter is invalid, = was expected	The next symbol after a keyword must be an equal sign.	

Message	Text	Meaning/Instructions
Density parameter must be from 1-999	The density must be numeric and in the range 1-999.	
Destination library too small	The destination library is too small to hold the table(s) to be copied.	
Directory is empty	The directory on the specified library is empty.	
DT command (maxgen parm) must be 1-9	The maximum generations to be kept must be numeric in the range 1-9 inclusive.	
Duplicate keyword for this command	The same keyword was specified twice for a command. Fix the command sequence and try again.	Fix the command sequence and try again.
End of data - tableBASE utility ended	End of data has been reached on CNTLCARD, the TBEXEC input file.	Information only.
Error In table definition	An error has been detected in the table definition created from the parameters supplied. Refer to the TBCALL Error Code for the reason.	
Estimated number-of-rows is out of range	The estimated number of rows is non-numeric, or is too large.	
Expand library failed	The requested operation failed. Diagnostic messages are issued to give the reason(s) for the failure.	
Expand library successful	The requested operation completed successfully.	Information only.
Expansion factor must be from 1 To 999	The expansion factor must be numeric and in the range 1-999.	
Field is greater than 8 characters	All of the keywords and keyword values have a maximum length of eight characters.	Ensure field is 8 characters or less.
Format of library incompatible with Version 6 and higher versions.	The library format has changed starting with Version 6. It needs to be converted to be compatible. Please see the tableBASE Installation Guide, Appendix B.	
Generation number specified is invalid	The generation must be numeric and in the range 0-255.	
Generation requested has been copied	The COPY operation has been completed successfully. A new table (generation number 1) has been added to the target library.	Information only.
Index parameter must be P, T or blank	The Index field must be T for true tables, P for indexed (Pointer) tables or blank. In previous releases, tableBASE allowed two types of tables: Pointer and True. Starting with Version 6, the concept of True tables still exists, however they are treated within tableBASE as Pointer tables as all memory is now in segmented memory that requires Indexes. The True table Indexes will be transparent to the application program.	
Initialization successful	The new tableBASE library has been initialized successfully.	Information only.
Insufficient local tableSPACE region	The TSR is not large enough to contain the table and tableBASE internal tables. tableBASE uses a small part of the TSR for its own internal tables.	
Insufficient space on new library	There is not enough space on the target library for the tables being copied.	
INV storage-mode-code: Must be R, Blank	The storage mode code (SMC) must be R or blank.	
Key size invalid: must be 1-256	The key size must be a number from 1-256, inclusive.	
Keyword and value are incompatible	If the keyword requires a numeric value, the value specified with it must be numeric. Alternatively, the ALLGEN keyword must be followed by = YES.	
Keyword invalid for this command	The keyword specified was not recognized.	
Keyword is incomplete	The keyword has not been followed by an equal sign (=) and a value.	

Message	Text	Meaning/Instructions
Keyword is invalid	The keyword specified is not used with this command.	
KLOC invalid: must be 1 to row-size	The key location must be numeric in the range 1 to the row size, inclusive.	
Library is not empty	The target or destination library of an EXPAND LIBRARY request contains at least one table. The target library must be empty for an EXPAND operation.	
Library not initialized	For the reason cited to the right of this message, the library was not initialized.	
Load failed	The requested operation failed. Diagnostic messages are issued to give the reason(s) for the failure.	
Mthd/org parameters are incompatible	This combination of search method and organization will not work. Valid combinations are: <pre> Organization Method ----- R, U S S, D S, B, C H H </pre>	
New generation loaded successfully	A new generation of this table has been created from the contents of the FROM dataset.	Information only.
Newlib DDNAME not Assigned -- check JCL	The requested initiation of the DDNAME specified by the NEWLIB parameter could not be performed since the DDNAME is not defined in the JCL.	Alter JCL as required.
nnnnn/mmmmm tables exported successfully	nnnnn tables were exported from the tableBASE library successfully. mmmmm tables were requested to be exported.	Information only.
nnnnn/mmmmm tables imported successfully	nnnnn tables were imported to the tableBASE library successfully. mmmmm tables were requested to be imported.	Information only.
No changes specified	A change command did not identify any fields to be changed.	Identify fields as required.
Not copied, new name same as old name	A COPY table request specified the same value for NEWNAME as for TBL.	
Not enough space on library	There is not enough space on the tableBASE library for the table being defined, copied, loaded, or expanded.	
Old Alternate Index definition deleted	During a copy of an Alternate Index definition, the old definition was deleted from the target library, but the new definition could not be copied from the source library to the target library.	
On dest lib - insufficient space for copy	The copy operation has been requested to a destination library with insufficient space on it to receive all generations of the tables on the FROM library.	
Org parm invalid: must be R, U, S, D or H	The Organization must be R, U, S, D, or H.	
Paged tables are not supported	Starting with Version 6, paged tables are no longer supported.	
Print request completed successfully	The requested print operation has finished with no errors. The listing can be found in TBRPT.	Information only.
Rename failed	The requested operation failed. Diagnostic messages are issued to give the reason(s) for the failure.	
Rename successful	The requested rename operation was successfully performed.	Information only.
Requested generation has been cleared	A new generation of this table has been created using the definition of the generation specified. This new generation contains no items.	Information only.
Requested generation has been deleted	The generation of the table specified has been deleted.	Information only.

Message	Text	Meaning/Instructions
Requested generation(s) deleted	The requested operation completed successfully.	Information only.
Required keyword missing for this command	One of the required keywords for this command was not contained in the command sequence.	Correct command sequence as required.
RN fails. new name Already Exists	The table was not renamed because a table with the new name already exists on the library.	
Row size invalid: must be 1-32767	The row size must be numeric in the range 1-32767 inclusive.	
Search-method incompatible with organization	The search method must be S, Q, B, C, or H and must match the organization. Valid combinations are: <pre> Organization Method ----- R, U S S, D S, B, C H H </pre>	
Semi-colon is missing from command	The command and its keywords must be followed by a semicolon (;) to indicate the end of the keyword list for the command sequence.	
Source library is empty	The source library in a copy operation contains no tables.	
Table already exists on library	The table could not be defined on, or copied to, the new library because a table of the same name already exists on the target library.	
tableBASE error detected	The requested operation failed. Diagnostic messages are issued to give the reason(s) for the failure.	
tableBASE internal program error - xxxx	The requested operation failed. Diagnostic messages are issued to give the reason(s) for the failure.	
Table definition successful	The table was defined successfully and generation 1 was stored on the library.	
Table is not closed	This error should not occur when using TBEXEC.	Contact Technical Support.
Table is not found	The table was not found on the given library.	
Table name specified is invalid	A valid tableBASE table name is a string of 8 bytes that are not all blanks, all low values, all high values, or :TMPNAME.	
Table opened for read cannot be stored	A table has been opened for read-only access and a store or write command has been issued.	
Table type is invalid	The table type must be F, V, A, or X.	
Table unavailable. No wait in effect	TBEXEC could not store the table because it is locked by another application. The NO WAIT parameter is in effect.	
Table unloaded successfully	The specified generation of the specified table has been unloaded to the TO dataset.	Information only.
Table updated as requested	The requested update operations on the specified table were performed successfully.	Information only.
Table updated successfully	The requested operation completed successfully.	Information only.
Table xxxxxxxx could not be opened	For reasons noted in preceding messages or to the right of this message, the table xxxxxxxx could not be opened. Since the table must be opened to perform this TBEXEC command, the TBEXEC command could not be successfully completed.	
Table xxxxxxxx export failed	The export of table xxxxxxxx failed for the reasons given in other messages.	
Table xxxxxxxx import failed	The import of table xxxxxxxx failed for the reasons given in other messages.	
Table xxxxxxxx import replace failed	The import of table xxxxxxxx failed for the reasons given in other messages.	

Message	Text	Meaning/Instructions
Table xxxxxxxx sort error	The sort required for this operation failed for the reason noted.	
Table xxxxxxxx was not stored	The table xxxxxxxx was not stored for the reasons noted in preceding messages or to the right of this message.	
tablebase error detected	A TBLBASE error was detected in the processing of this command. The explanation of the error is found to the right of this message.	
The count specified is invalid	The count is less than one, or greater than the number of rows in the table.	
The key will not fit within the row	The end of the key cannot exceed the end of the row.	
The library DDNAME does not exist	The LIB=DDNAME is not in the JCL.	Alter JCL as required.
The library status is invalid	tableBASE library disposition must be NEW for new libraries, and SHR or OLD for existing libraries.	
The password supplied is invalid	An incorrect password has been specified.	
The specified command is invalid	The specified command is not a valid TBEXEC command.	
The specified library is not suitable	There are a number of conditions that can create this error. See tableBASE error codes.	
Write password is missing or incorrect	The operation requires access to a write-protected table, but the write password has not been specified or specified incorrectly.	
xxxxxxx field is greater than 8 characters	All keywords and keyword values must be eight characters or fewer.	
<tablename> NOT FOUND IN SOURCE LIBRARY	Specified table is not in the source library.	Please specify correct table associated with EXCLUDE parameter and/or EXCLFILE parameter file.

Table A-2:

tableBASE messages

Messages issued from the tableBASE components, such as the VTS Agent, CICS, Batch and others, vary from function to function, and are listed in the table below. These messages can usually be viewed on the JESMSG LG. Any Severe Errors (S) messages should be referred to tableBASE Customer Support. Messages are in the format DK1nnnnnA where DK1 is the prefix, followed by a five digit numeric code and an error code letter. The error code letter indicates the type and severity of the error message:

- E**—Error (usually indicates user error)
- I**—Information
- W**—Warning
- A**—Action (user action is required)
- S**—Severe (no further processing is possible)

Table A-3: Messages and error codes for VTS Agent, CICS, Batch, etc.

Msg Code	Text	Meaning / Instructions
DK100049S	NO CMDAREA IN CALL TO TBLBASE. ABENDING.	There was no command area supplied. Ensure that a command area is supplied for the tableBASE call.
DK100100W	Unexpected non-zero return code from user exit	
DK100107W	A message was truncated at 207 characters	Information only.
DK100200S	Initialization failed	
DK100200S	TableBASE Initialization failed	
DK100201S	tableBASE PC Server unavailable	The tableBASE PC Server is not running. It must be running in order for tableBASE to initialize in batch jobs, CICS regions, IMS regions, DB2 SPAs and VTS-TSRs.
DK100202I	tableBASE V<nnn> is initializing for <customername>	Information only.
DK100203I	tableBASE <interface> license expires on <yyyy/ mm/dd>	Information only.
DK100204I	Executing in Step=<stepname>	Information only.
DK100205I	Executing in JOB Step=<stepname> PROC Step=<stepname>	Information only.
DK100206S	tableBASE PC Server does not support LOAD	Ensure the latest PC Server is running.
DK100207E	DK1TX071 not loaded; System Exits disabled	Contact DataKinetics Technical Support for assistance.
DK100207E	DK1TX072 not loaded; User Exits disabled	Contact DataKinetics Technical Support for assistance.
DK100208S	Unable to locate tableBASE GCA	Ensure the latest PC Server is running.
DK100209S	tableBASE PC Server unavailable	Ensure the latest PC Server is running.
DK100210E	Module DK1TNUCL not loaded	Contact DataKinetics Technical Support for assistance.
DK100210I	Unable to locate tableBASE GCA	Information only.
DK100211I	Unable to locate tableBASE GCA.	Information only.
DK100213E	Error in tableBASE PC server	Contact DataKinetics Technical Support for assistance.
DK100214E	Create CMA Named Token failed	Contact DataKinetics Technical Support for assistance.
DK100214E	CMA GETMAIN failed	Contact DataKinetics Technical Support for assistance.
DK100216S	\$DOPC GRANDE Failed	Ensure the latest PC Server is running.
DK100217S	\$DOPC Failed to Load DK1TROT.B.	Check that DK1TROT.B is available for an MVS LOAD.

Msg Code	Text	Meaning / Instructions
DK100218S	\$DOPC Free LX Index Failed	Contact DataKinetics Technical Support for assistance.
DK100221E	I/O ERROR: <text>	Contact DataKinetics Technical Support for assistance.
DK100222E	QSAM ERROR: FUNCTION=<xxxxxxxx>,FILE=<ffffff>	Contact DataKinetics Technical Support for assistance.
DK100224E	I/O PROBLEM: FILE=<xxxxxxxx> FUNC=<ffffff> RESP=<dddd> RESP2=<dddd>	Contact DataKinetics Technical Support for assistance.
DK100225W	JOB:<jobname>,ID:<userid>,TSR:<TSRname>, CMD:<cc>,TBL:<tablename>, - WAITING <nnnnnn> SECS FOR MAPLOCK HELD BY <jobname2> <task-id>	TSR space allocation is blocked by another process accessing this TSR. <jobname2> identifies the job holding the lock and <task-id> identifies the task id of the transaction holding the lock. Cancelling the job or transaction holding the lock may free up the lock. Warning: The operator must determine if it is safe to cancel the job or transaction. Note: This message is usually intermittent until the tableBASE command that is blocking the access ends. If the problem persists and is happening in a VTS-TSR, contact DataKinetics Technical Support for instructions on how to alleviate the problem.
DK100226W	Please change DD TBOPTV to TBOPT	Information only.
DK100226i	Please change DD TBOPTV to TBOPT	Information only.
DK100227W	JOB:<jobname>,ID:<userid>,TSR:<TSRname>, CMD:<cc>,TBL:<tablename>, - WAITING <nnnnnn> SECS FOR GLOBAL TCELOCK HELD BY <jobname2> <task-id>	Access to the TSR table list is blocked by another process. <jobname2> identifies the job holding the lock and <task-id> identifies the task id of the transaction holding the lock. Cancelling the job or transaction holding the lock may free up the lock. Warning: The operator must determine if it is safe to cancel the job or transaction. Note: This message is usually intermittent until the tableBASE command that is blocking the access ends. If the problem persists and is happening in a VTS-TSR, contact DataKinetics Technical Support for instructions on how to alleviate the problem.
DK100227W	JOB:<jobname>,ID:<userid>,TSR:<TSRname>, CMD:<cc>,TBL:<tablename>, - WAITING <nnnnnn> SECS FOR TCELOCK HELD BY <jobname2> <task-id>	Access to the table in the TSR is blocked by another process using the table. <jobname2> identifies the job holding the lock and <task-id> identifies the task id of the transaction holding the lock. Cancelling the job or transaction holding the lock may free up the lock. Warning: The operator must determine if it is safe to cancel the job or transaction. Note: This message is usually intermittent until the tableBASE command that is blocking the access ends. If the problem persists and is happening in a VTS-TSR, contact DataKinetics Technical Support for instructions on how to alleviate the problem.
DK100228W	JOB <jobname> IN <VTSname> WAITING <nnnnnnnn> SECONDS TABLE ENQ <tablename>	Job is waiting for VTS-TSR table enqueue--not received yet.
DK100229W	JOB:<jobname>,ID:<userid>,TSR:<TSRname>, CMD:<cc>,TBL:<tablename>, - WAITING <nnnnnn> SECS FOR TLBLOCK HELD BY <jobname2> <task-id> - LIB DD:<DDname>,DSN:<DSNname>	Access to the tableBASE library is blocked by another process in the same region using the library. <jobname2> identifies the job holding the lock and <task-id> identifies the task id of the transaction holding the lock. Cancelling the job or transaction holding the lock may free up the lock. Warning: The operator must determine if it is safe to cancel the job or transaction. Note: This message is usually intermittent until the tableBASE command that is blocking the access ends.

Msg Code	Text	Meaning / Instructions
DK100230I	TBOPT Processing	Information only.
DK100231I	<keyword>=<value>	Information only.
DK100232E	Invalid value	The value entered is invalid.
DK100233E	Missing keyword	A keyword is missing.
DK100234E	Invalid keyword	The keyword entered is invalid.
DK100235E	Value exceeds maximum allowed	The value provided exceeds the maximum allowed value.
DK100236E	Keyword not allowed in this environment	The parameter provided is not allowed for this interface.
DK100237E	Missing "="	A "=" is missing in the parameter.
DK100238E	Invalid quoted string	The string is invalid.
DK100239E	Value field too wide	The value entered is too large. Correct and try again.
DK100240E	Value less than minimum allowed	The value entered is smaller than the minimum required.
DK100241E	Missing value	There is a missing value in the parameter.
DK100242E	Keyword (or alias) previously specified	The keyword has already been specified by using another alias name.
DK100243E	Option supported only in TBOPTGEN	This parameter must be entered in the distributed source for DK1V1134 or DK1Txx34 and rebuilt. It cannot be entered in the input for the TBOPT DD card.
DK100244I	MAXNMTAB set to <nnnnnn>	Information only.
DK100245W	VTSONLY not valid with LIB entries	
DK100246W	Invalid VTS prefix for LIB<nn>=<xxxxxxxx>	
DK100247W	Empty value: LIB<xx> - LIB<yy>	
DK100248W	LIB<xx> exceeds max allowed <mm>	
DK100249W	MULTOPNX=N is not valid	
DK100250I	TBOPT Parameters: (*= Parameters not taken from TBOPT input file)	Information only.
DK100251I	<keyword>=<value>.	Information only.
DK100252I	<<<<<< TBOPT Done >>>>>>	Information only.
DK100253I	<message>	Information only.
DK100255E	HASH_LOW_DEN_LIM must be <= 2/3 HASH_HI_DEN_LIM	Reset the density limits.
DK100256I	TSRSIZE set to LDS size of <nnnnnnn>K	Information only.
DK100258I	MAXNMTAB set by preformatted LDS TSR	Information only.
DK100260I	DK1TX066 Exit Manager Initializing	Information only.
DK100262W	Exit <xxxxxxxx> not loaded and disabled	
DK100263I	Exit <xxxxxxxx> is loaded and enabled	Information only.
DK100264I	DK1TX066 Exit Manager Shutdown complete	
DK100265W	Exit name <xxxxxxxxxxxxxxxx> not found in current release	
DK100266E	PC Service unavailable; required for VTS_TSR use	Ensure that the correct version of the tableBASE PC Server is running.
DK100270E	Insufficient storage to process strobe data; strobe suppressed.	The strobe data file has run out of space so tableBASE strobe data will be suppressed.
DK100271E	Error on CICS WRITE JOURNALNUM; Strobe logging suppressed	
DK100272E	WRITE JOURNALNUM RESP=<1234>, RESP2=<1234>	

Msg Code	Text	Meaning / Instructions
DK100273E	Dynaloc of strobe report failed. Strobe suppressed.	
DK100274I	STROBE=0 forced for DB2 Stored Procedure	Information only.
DK100275E	Module DK1TRSTA not found.	Contact DataKinetics Technical Support for assistance.
DK100280E	QSAM ERROR: FUNCTION=<xxxxxxxx>,FILE=<ffffff>	Contact DataKinetics Technical Support for assistance.
DK100281E	STROBE OUTPUT SUPPRESSED	tableBASE strobe report output (for file TBTSRPT) has been suppressed due to some error in the file, possibly a file overflow. Try increasing the disk space for the strobe report output file, TBTSRPT.
DK100282E	I/O ERROR:	Contact DataKinetics Technical Support for assistance.
DK100283E	TBTSRPT spin failed. See JESlog for messages.	
DK100284E	TBTSRPT test failed. See JESlog for messages.	
DK100286E	SYSPRINT DD MISSING. Run terminated.	A SYSPRINT DD card is required in the job.
DK100292W	DEBUG TRACE requested but not started	Contact DataKinetics Technical Support for assistance.
DK100292E	DEBUG TRACE requested but not started	Contact DataKinetics Technical Support for assistance.
DK100293S	tableBASE must be initialized on QR TCB. Use tran TBDR TBINIT or PLTPI.	
DK100295A	Specify character for PC server Named Token	
DK100300S	SYSTEM FAILURE: <xxxxxxxx> Code=<cccc>/<hhhhhhhh>, Reason=<rrrr>/<hhhhhhhh>	Contact DataKinetics Technical Support for assistance.
DK100300S	Call from <xxxxxxxx> Offset <xxxx>	Contact DataKinetics Technical Support for assistance.
DK100300S	R0-R7 <xxxxxxxx xxxxxxxx xxxxxxxx xxxxxxxx>.	Contact DataKinetics Technical Support for assistance.
DK100300S	R8-R15 <xxxxxxxx xxxxxxxx xxxxxxxx xxxxxxxx>	Contact DataKinetics Technical Support for assistance.
DK100301S	Logic error; Dumpid <xxx> taken to TBDUMP.	Contact DataKinetics Technical Support for assistance.
DK100301S	Logic error dump taken. Dumpcode is LGIC. Dumpid is <nnnnnnnn>.	Contact DataKinetics Technical Support for assistance.
DK100302S	System ENQ limit exceeded. Task abended.	Contact DataKinetics Technical Support for assistance.
DK100303I	CLOS-VTS <VTSname> Failed. Return Code = <nnnn>	tableBASE internal processing to end its access to a VTS-TSR failed because the VTS-TSR was canceled before the task terminated. This message is informational only.

Msg Code	Text	Meaning / Instructions
DK100310W	tableBASE TSR <nnn>% Allocated. TSR is local TSR. Owned by Job <jobname>	<p>The series of space management algorithms used in prior levels of V6 was changed in level8.</p> <p>It now only issues a message when the TSR usage rises above a threshold and does not indicate what algorithm is being used.</p> <p>Setting the TSR_WARNING_FREQ = 0 will cause all the messages to be displayed once the TSR space usage threshold is crossed from below the threshold to above it or exactly equal to it.</p> <p>The default FREQ setting is 1 (i.e. only display one message per second, at the most).</p> <p>Level 8 will issue this message anytime the TSR usage rises above the value in TSR_WARNING_PCT. (The Default TSR_WARNING_PCT is 85.)</p> <p>Level 8 warnings start when the usage is exactly the TSR_WARNING_PCT value or higher.</p> <p>For more details refer to the TBOPT parameter settings in the <i>tableBASE Installation Guide</i>.</p>
DK100311W	tableBASE TSR <nnn>% Allocated. VTS-TSR name is <vtsname>. Owned by Job <jobname>.	Same as for message DK100310W, but applies to VTS-TSR.
DK100330I	DDNAME <ddname> is not a tableBASE Release 6 format library.	Information only.
DK100331W	LIBRARY FREE SPACE MAP INCONSISTENT WITH LEFT BLOCK COUNT	
DK100332I	Caching requested for DDname <ddname>. Caching not permitted on this library. Processing with no cache.	
DK100340W	Old form ML mixed with use of extended ML	
DK100362E	ABEND DURING UPDATE PROCESS RC=95 SC=<xx>	
DK100400E	tableBASE User Error Abend <xxxx>, Reason=<dddd/hhhh>	For more information, call DataKinetics Technical Support.
DK100400E	tableBASE User Error Abend <xxxx>, Command=<xx>,<tablename>	For more information, call DataKinetics Technical Support.
DK100400E	tableBASE User Error Abend <xxxx>, TBLBASE Initializing	For more information, call DataKinetics Technical Support.
DK100400E	tableBASE User Error Abend <xxxx>, Reason=<dddd/hhhh>, Command=<xx>,<tablename>	For more information, call DataKinetics Technical Support.
DK100400E	tableBASE User Error Abend <xxxx>, Reason=<dddd/hhhh>, TBLBASE Initializing	Abend code G200 indicates a CICS environment; 0200 indicates otherwise. For more information, call DataKinetics Technical Support.
DK100411E	TSR Create failed: Failed by site IEFUSI	Contact DataKinetics Technical Support for assistance.
DK100412E	TSR Create failed: MVS resource shortage	Contact DataKinetics Technical Support for assistance.
DK100413W	SNAP SUPPRESSED; GETMEM SHORTAGE	Contact DataKinetics Technical Support for assistance.
DK100414E	TSR Create failed: LDS Smaller than TSR SIZE	
DK100415E	TSRACCESS=RO using empty LDS	
DK100416I	TSR successfully mapped to LDS	Information only.
DK100417I	TSR successfully saved on LDS	Information only.

Msg Code	Text	Meaning / Instructions
DK100471E	BDAM ERROR: File=<ffffff>, Function=<xxxxxxxx>	Contact DataKinetics Technical Support for assistance.
DK100472E	VSAM ERROR: File=<ffffff>, Function=<xxxxxxxx>, Reg15=<rrrr>, Error Code=<xxxx>	Contact DataKinetics Technical Support for assistance.
DK100472E	I/O ERROR: <text>	Contact DataKinetics Technical Support for assistance.
DK100472E	<xxx> ERROR: File=<ffffff>, Function=<xxxxxxxx>, Resp=<rrrr>, Resp2=<ppppp> (Resp2=VSAM Response)	Contact DataKinetics Technical Support for assistance.
DK100473E	VSAM ERROR: File=<ffffff>, Request=ATTR2, Retcode=<xxx>, Reason=<yyy>, R15=<zzz> DSNAME=<dsname>	Contact DataKinetics Technical Support for assistance.
DK100476E	xxAM ERROR: FUNCTION=<xxxxxxxx>,FILE=<ffffff>	Contact DataKinetics Technical Support for assistance.
DK100477E	I/O ERROR: <text>	Contact DataKinetics Technical Support for assistance.
DK100477E	VSAM ERROR: FUNCTION=<xxxxxxxx>,REG15=<rrrr>,ERROR CODE=<xxxx>,FILE=<ffffff>	Contact DataKinetics Technical Support for assistance.
DK100490E	ERROR ON TBDEBUG FILE, REASON=<xxxx>, DEBUG DISABLED	Contact DataKinetics Technical Support for assistance.
DK100494E	Persistent Task ended before end of step	Contact DataKinetics Technical Support for assistance.
DK100495I	IN ROTBVTSD	Information only.
DK100496E	Multitasking requires TBOPT Multitasking=Y be set	Reset MULTITASKING parameter in TBOPT
DK100497E	failed to delete ESTAE	Contact DataKinetics Technical Support for assistance.
DK100501S	EXEC CICS FAILURE: <xxxxxxxx> Resp=<cccc/hhhhhhhh>, Resp2=<cccc/hhhhhhhh>	Contact DataKinetics Technical Support for assistance.
DK100511E	TSR Create failed: Failed by site IEFUSI	Contact DataKinetics Technical Support for assistance.
DK100512E	TSR Create failed: MVS resource shortage	Contact DataKinetics Technical Support for assistance.
DK100513W	SNAP suppressed; GETMEM shortage	Contact DataKinetics Technical Support for assistance.
DK100530I	No storage for QTCWA; QCT function not used.	Information only.
DK100531I	Module DK1TRSTA not found; QCT function not used.	Information only.
DK100532I	Attaching QCT x	Information only.
DK100533I	QCT X Detached	Information only.
DK100550I	tableBASE <version> - Resource manager initializing	Information only.
DK100551I	tableBASE Resource manager initialized	Information only.
DK100552E	tableBASE Initialization Error	Contact DataKinetics Technical Support for assistance.
DK100553I	tableBASE Initialization Failed	Information only.
DK100554I	tableBASE Starting tblBASE	Information only.
DK100555I	tableBASE tblBASE started	Information only.
DK100556I	tableBASE Deactivating	Information only.
DK100557I	tableBASE Deactivated	Information only.
DK100558E	tableBASE Deactivation Error	Contact DataKinetics Technical Support for assistance.
DK100559I	tableBASE Deactivation Failed	Information only.
DK100560I	tableBASE Restarting	Information only.
DK100561I	tableBASE Verifying	Information only.

Msg Code	Text	Meaning / Instructions
DK100562I	tableBASE Verify completed	Information only.
DK100563I	tableBASE - Error Info: Func(<functionname>/<subfunctionname>) Resp(<responsecode>) Resp2(<responsecode>)	This is error information received by tableBASE when requesting a CICS service function. Refer to the CICS manuals as required.
DK100564I	DK1TCIN used in PLT takes one of TBINIT (default) or INIT.	Information only.
DK100565I	Successful <xxxx> INIT must be done before <xxxx> TBCALL	Information only.
DK100566I	Verification failure	Information only.
DK100567E	The tableBASE PC Server must be running for tableBASE to initialize.	The tableBASE PC Server is not running. It must be running in order for tableBASE to initialize in CICS regions.
DK100568E	Program DK1TCIN must be defined as CONCURRENCY(QUASIRENT)	Define DK1TCIN as per message and try again.
DK100569E	Module DK1CBASE must be current to determine version.	Contact DataKinetics Technical Support for assistance.
DK100570I	<xxxx> takes TBINIT or TERM as a parameter	Information only.
DK100571I	Phase in of <xxxxxxxx> not allowed by CICS; current in-storage copy used.	Information only.
DK100572I	<xxxxxxxx> LP=<xxxxxxxx> EP=<xxxxxxxx> AM=<xx> RC=<xxxxxxxx> UC=<xxxxxxxx>	Information only.
DK100573I	Module <xxxxxxxx> not loaded	Information only.
DK100574I	Module <xxxxxxxx> not found.	Information only.
DK100575I	EX=<xxxxxxxx> EN=<xxxxxxxx> STST=<xxxx> SHST=<xxxx> TAST=<xxxx> TALN=<xxxx> GALN=<xxxx>	Information only.
DK100576I	<xxxxxxxxxxxxxxxx/xxxxxxxx> OK	Information only.
DK100577I	<xxxxxxxx> LP=<xxxxxxxx> EP=<xxxxxxxx> LEN=<xxxxxxxx> AM=<xxx> KEY=<x>	Information only.
DK100578I	tableBASE - Shutdown Completed.	Information only.
DK100579I	tableBASE - Shutdown Aborted: Internal Resource Anchor Block (RCABLK) not found.	Information only. Contact DataKinetics Technical Support for further information about this message.
DK100580I	tableBASE - Shutdown Aborted: TRUE TBASERCM not enabled.	Information only. Contact DataKinetics Technical Support for further information about this message.
DK100590E	TBL BASE ERROR DEBUG WTD, REASON=<xxxx>, DEBUG DISABLED	Contact DataKinetics Technical Support for assistance.
DK100595I	Trans error dump taken. Dumpcode is DKL1. Dumpid is <xxxxxxxx>	Information only.
DK100596E	CICS Assign failed (Resp/Resp2=<nnnnn/nnnnn>); dump suppressed	Contact DataKinetics Technical Support for assistance.
DK100597E	CICS DUMP TRANSACTION failed (Resp/Resp2=<nnnnn/nnnnn>). Dump for userid <xxxxxxxx> not taken.	Contact DataKinetics Technical Support for assistance.
DK100600I	tableBASE V<vrm> VTS <xxxxxxxx> initialized	Information only.
DK100601E	GCA cannot be located; VTS stopping	The tableBASE PC Server is not running. It must be running before any VTS-TSRs can be brought up.
DK100602E	VTS Agent incompatible with GCA structure	Contact DataKinetics Technical Support for assistance.
DK100603E	Duplicate VTS attempting to start; auto-stopping	Another VTS with the same name is already running.
DK100604E	Program <xxxxxxxx> is not APF authorized	The program must be APF authorized to run this task.

Msg Code	Text	Meaning / Instructions
DK100605E	V<vrm> Environment not ready; VTS stopping	Neither the tableBASE PC Server nor compat VTS Group Manager are running. Either one must be running before any VTS-TSRs can be brought up..
DK100606E	Incompatible DK1VBASE; VTS stopping	The version of DK1VBASE is not compatible with this release.
DK100608E	Not authorized to start VTS resource: <vtsresourcename>	This userid is not authorized to start the VTS resource named due to lack of RACF authorization. A minimum of CONTROL access is required to start a RACF-protected VTS.
DK100610E	Error in <xxxxxxx> macro; RC/REASON=<xxx/yyy>	Contact DataKinetics Technical Support for assistance.
DK100620E	VTS is running in a Non-level 8 GCA	Contact DataKinetics Technical Support for assistance.
DK100629E	Invalid non-level 8 GCA	Contact DataKinetics Technical Support for assistance.
DK100630I	Console interface is available	Information only.
DK100631E	Invalid command; command ignored	The command supplied is invalid.
DK100632W	'REFRESH not supported in tableBASE <vv> VTS	The RF command is not supported in VTS.
DK100633I	SHUTDOWN	Information only.
DK100634I	STOP command received, V<vrm> VTS <xxxxxxx> terminating	Information only.
DK100636W	switching TSRACCESS to RW, VTS <xxxxxxx>: <nnnn> users may be affected	Warning message.
DK100637W	TSRACCESS=RW forced RO for locking- <xxxxxxx>	Warning that the TSR access mode has been force switched to RO.
DK100638W	switching TSRACCESS to RO, VTS <xxxxxxx>: <nnnn> users may be affected	Warning message.
DK100639E	Not authorized to stop VTS resource: <vtsresourcename>	This userid is not authorized to stop the VTS resource named due to lack of RACF authorization. A minimum of CONTROL access is required to stop a RACF-protected VTS.
DK100701S	tableBASE PC Server unavailable, required for license options	The tableBASE PC Server must be running.
DK100702I	TSR size reset to LDS size	Applicable only for VTS Manager.
DK100703S	Invalid LDSTSR dataset	Applicable only for VTS Manager.
DK100704W	TSRACCESS forced to RO: LDSTSR DISP=SHR	Due to the disposition of the LDS dataset, the TSR access mode is forced to RO. Applicable only for VTS Manager.
DK100705I	MAXNMTAB ignored for TSRACCESS=RO	Applicable only for VTS Manager.
DK100706W	SYSPLEX=Y incompatible with TSRACCESS=RW; TSRACCESS set to RO	Applicable only for VTS Manager.
DK100707E	TPVM incompatible with COMPAT VTS Agent	Applicable only for VTS Manager.
DK100708I	StrobeMethod 3 allowed only for VTS	Information only.
DK100709E	StrobeMethod 3 required for VTS with non-zero TSR_KEY-PROTECT	When a VTS is hardware key-protected, TBOPT option STROBEMETHOD=3 must be used.
DK100710W	TSRACCESS forced to RO: TSR_KEY_PROTECT set	Warning message. A hardware key-protected VTS can only be started up in read-only mode.
DK100800I	tableBASE PC server V<vrm> available	The tableBASE PC Server is now running. It must be running in order for tableBASE to initialize in batch jobs, CICS regions, IMS regions, DB2 SPAs and VTS-TSRs.
DK100802E	PC server <xxxxxxx> terminating; see message DK100803I for reason.	Contact DataKinetics Technical Support for assistance.
DK100803I	<variable length message text>	Information only.

Msg Code	Text	Meaning / Instructions
DK100804S	System must support 64-bit architecture	Starting with Version 7.0, tableBASE requires z/OS running on 64-bit hardware which supports the General Instructions Extension Facility (GIEF), the Long Displacement Facility, the Extended-immediate Facility and the Execute-extensions Facility. These are provided with the Z10-EC processor or higher.
DK100805W	License checking error <nnn> for <pppppppp>	The license checker encountered an error. Contact DataKinetics Technical Support for assistance.
DK100806W	Error <nnn>-<rrr> LOADing DK1TLICK; <pppppppp> not licensed	Error loading the license checker. Contact DataKinetics Technical Support for assistance.
DK100807W	Error <nnn> ATTACHing DK1TLICK for <pppppppp>	Error attaching the license checker. Contact DataKinetics Technical Support for assistance.
DK100811I	Invalid command; ignored: <cccccccc>	Information only.
DK100812I	STOP command received	Information only.
DK100820W	DK1TPC01/DK1TLICK interface mismatch <nnn/nnn>	Contact DataKinetics Technical Support for assistance.
DK100821W	PC Server <vvvv> does not support <pppppppp>	Contact DataKinetics Technical Support for assistance.
DK100822W	<pppppppp> not supported by licensing routine	Contact DataKinetics Technical Support for assistance.
DK100823W	DK1TLICK not authorized to enter key 0	Contact DataKinetics Technical Support for assistance.
DK100824W	PC Server <vvvv> not found	Ensure that the PC Server for this release is running.
DK100825W	Licensing subroutine returned RC=<rrrr>	Contact DataKinetics Technical Support for assistance.
DK100826W	<pppppppp> license expired <yyyy-mm-dd>; in grace period	The license for the named product has expired and it is now running in the grace period. It will stop functioning after the grace period.
DK100827W	<pppppppp> license expired <yyyy-mm-dd>	The license for the named product has expired and the product has stopped functioning.
DK100828W	<pppppppp> license will expire <yyyy-mm-dd>	The named product is in the warning period for its license and will no longer be licensed on the specified date.
DK100829W	<pppppppp> license expires today <yyyy-mm-dd>	Just after midnight today, the named product will no longer be licensed. If there is a grace period, the product will continue to function during that period.
DK100830W	<pppppppp> license module DK1xBASE missing	The license module specified for the named product is missing.
DK100831W	<pppppppp> DK1xBASE <vvvv> mismatch <vvvv>	The license module specified for the named product is for a different version.
DK100832W	<pppppppp> DK1xBASE return code <rrrr>	Contact DataKinetics Technical Support for assistance.
DK100833I	<pppppppp> licensed to <customer>	Information only.
DK100844S	Customer Anchor Table DKL slot invalid: RC=<r>.	Contact DataKinetics Technical Support for assistance.
DK100847S	cannot start, too many DKL products	Contact DataKinetics Technical Support for assistance.
DK100848S	TPM may be running, run DK1PTERM	Applicable only for VTS Manager.
DK100849S	Replacing corrupted GCA	Contact DataKinetics Technical Support for assistance.
DK100850I	deleting NT	Information only.
DK100851I	NT deleted	Information only.
DK100852I	freeing PC code	Information only.
DK100853I	PC code freed	Information only.
DK100854I	Freeing GCA	Information only.
DK100855I	Freeing GCAX	Information only.
DK100856I	GCA purged	Information only.
DK100857I	Replacing corrupted Dummy TPM block	Information only.

Msg Code	Text	Meaning / Instructions
DK100858S	PC Server unable to obtain storage	Contact DataKinetics Technical Support for assistance.
DK100859I	Completing Dummy TPM/TPV blocks	Information only.
DK100870W	LXFRE Bad Return Code	Contact DataKinetics Technical Support for assistance.
DK100871S	\$DOPC GETMAIN Failed	Contact DataKinetics Technical Support for assistance.
DK100872E	LXFREE Getmain Failed	Contact DataKinetics Technical Support for assistance.
DK100873W	LXFREE Freemain Failed	Contact DataKinetics Technical Support for assistance.
DK100874S	\$DOPC SCHEDIRB Macro Failed	Contact DataKinetics Technical Support for assistance.
DK100875S	\$DOPC DK1TPC11 Routine Failed	Contact DataKinetics Technical Support for assistance.
DK100876S	\$DOPC LOADROTB Service Failed	Contact DataKinetics Technical Support for assistance.
DK100877I	DK1TVROT Named Token Failed	Information only.
DK100900S	Not licensed for VTS Manager options	Your installation is not licensed for this feature. Contact DataKinetics Technical Support for further information.
DK100901S	Not licensed for VTS Gate options	Your installation is not licensed for this feature. Contact DataKinetics Technical Support for further information.
DK100902S	Not licensed for DEFAULT_TSR options	Your installation is not licensed for this feature. Contact DataKinetics Technical Support for further information.
DK100990S	Incompatible ROOT and NUCLEUS versions	Contact DataKinetics Technical Support for assistance.
DK100991E	Parms module not loaded	Contact DataKinetics Technical Support for assistance.
DK100993E	Parms module corrupted	Contact DataKinetics Technical Support for assistance.

TBEXEC and library conversion messages

Error and audit messages generated by the batch utility program TBEXEC, and other programs are identified and described in alphabetical order in the following table.

Messages issued from tableBASE in conjunction with the TBEXEC and other programs/utilities vary from function to function, and are listed in the tables below. The error code is shown at the end of the message, while the originating program can be identified by the message prefix. The following prefixes may be encountered:

IOSRT-51— indicates TBEXEC in conjunction with subroutine DK1T0051

T1182— indicates utility DK1TCNV in conjunction with subroutine DK1T0051

Table A-4: Messages and error codes for TBEXEC: DK1T0051

Msg Code	Meaning / Instructions
IOSRT-51 <message> ERROR 22	DDNAME provided in command is not a valid DDNAME or it is not allocated in the jobstream.
IOSRT-51 <message> ERROR 26	CANNOT OPEN EXCLIST: <filename> cannot be found. Please correct the filename and rerun.
IOSRT-51 <message> ERROR 27	The dataset for the DDname specified must be a DISK file; it is not.
IOSRT-51 <message> ERROR 30	The DSORG (dataset organization) for the DDNAME specified must be compatible for the usage: VSAM RRDS, BDAM or QSAM for a library, QSAM or a member of a PDS(E), SYSIN or SYSOUT for a sequential dataset.
IOSRT-51 <message> ERROR 31	The RECFM (Record Format) for the DDNAME specified must be F for a library, F or FB for sequential input. FA and FBA are allowed for sequential output of Report files.
IOSRT-51 <message> ERROR 32	The BLKSIZE (Block Size) parameter for the DDNAME specified must be a multiple of record length.
IOSRT-51 <message> ERROR 33	The output dataset for this DDname may not be allocated DISP=SHR.
IOSRT-51 <message> ERROR 34	An error was encountered processing a VSAM dataset. See the JESMSG LG for a description of the VSAM error.

Note: The message handling is used by many processes. Depending upon how the message is generated, it may contain only the IOSRT error message number and the associated message text (shown as <message> above), or just the message number.

Table A-5: Messages and error codes for library conversion

Msg Code	Meaning / Instructions
T1182: <message> ERROR Invalid DDname	DDNAME provided in command is not a valid DDNAME or it is not allocated in the jobstream.
T1182: <message> ERROR Not a disk file	The dataset for the DDname specified must be a DISK file; it is not.
T1182: <message> ERROR Non zero parameters	The DSORG (dataset organization) for the DDNAME specified must be compatible for the usage: VSAM RRDS, BDAM or QSAM for a library, QSAM or a member of a PDS(E), SYSIN or SYSOUT for a sequential dataset.
T1182: <message> ERROR RECFM	The RECFM (Record Format) for the DDNAME specified must be F for a library, F or FB for sequential input. FA and FBA are allowed for sequential output of Report files.
T1182: <message> ERROR BKLSIZE	The BKLSIZE (Block Size) parameter for the DDNAME specified must be a multiple of record length.
T1182: <message> ERROR SHR WRITE	The output dataset for this DDname may not be allocated DISP=SHR.
T1182: <message> ERROR VSAM	An error was encountered processing a VSAM dataset. See the JESMSG LG for a description of the VSAM error.
T1182: <message> INVALID BKLSIZE	The specified blocksize for the target library was invalid. tableBASE library blocksizes must be 3120.

Note: Certain structural errors for paged tables in Version 5 tableBASE libraries may cause the Library conversion process to fail with abend S209. This same error can occur when running DK1TLCHK.

Table A-6:

Appendix B - TBOPT dataset coding

TBOPT dataset coding

The TBOPT dataset can be a sequential file, a member of a data set, or, for CICS, a VSAM dataset. The TBOPT dataset can be specified for all interfaces, including VTS. The dataset must contain fixed-length 80-byte records.

Note: The TBOPTV functionality has been integrated into TBOPT, allowing for a single source of run-time parameter input. TBOPTV is still maintained for backwards compatibility. If both TBOPT and TBOPTV are used, TBOPT is read first. If a keyword is present in both TBOPT and TBOPTV, initialization will fail with return code 200.

The data in TBOPT uses the same parameter names and values as are coded on the TBOPTGEN macro for the defaults, with the exception of LIB-LIST. TBOPT uses LIBnn to specify tableBASE libraries to update the tableBASE Library List.

Each parameter is entered on a single line in the dataset. The parameter may begin in any column. A line beginning with an asterisk (*) denotes a comment. Comments may also be added after the parameter value. A semicolon may be used to indicate line end. Comments may follow the semi-colon.

Although each region may have defined its own TBOPT dataset, all regions can share a sequential DASD dataset, and CICS regions can share a VSAM TBOPT dataset.

Note: Starting with Version 7, some parameters can only be coded in TBOPTGEN, for security reasons.

A sample TBOPT dataset for a batch region follows:

```
//TBOPT DD *  
* A leading asterisk denotes a comment  
ListOptions=Y  
TSRegion = 12M  
MAXNMTAB=500  
LIB01 = TESTLIB; Testlib is searched first  
LIB02 = MAINLIB; Mainlib is searched second  
/*
```

Note: ListOptions=Y is handy for diagnostic purposes; TESTLIB is first for batch testing.

Note: With the exception of the LISTOPTIONS parameter, parameters must appear only once in the TBOPT file. The form KEYWORD=* indicates that the site default is to be used. The form KEYWORD=0 indicates that the default value of a parameter that takes a character string be nullified.